

**Combinations and compositions which interfere with VEGF/ VEGF and
angiopoietin/ Tie receptor function and their use (II)**

5 The present invention provides the combination of substances interfering with the biological activity of Vascular Endothelial Growth Factor (VEGF)/VEGF receptor systems (compound I) and substances interfering with the biological function of Angiopoietin/Tie receptor systems (compound II) for inhibition of vascularization and for cancer treatment.

10

15

20

25

30

Protein ligands and receptor tyrosine kinases that specifically regulate endothelial cell function are substantially involved in physiological as well as in disease-related angiogenesis. These ligand/receptor systems include the Vascular Endothelial Growth Factor (VEGF) and the Angiopoietin (Ang) families, and their receptors, the VEGF receptor family and the tyrosine kinase with immunoglobulin-like and epidermal growth factor homology domains (Tie) family. The members of the two families of receptor tyrosine kinases are expressed primarily on endothelial cells. The VEGF receptor family includes Flt1 (VEGF-R1), Flk1/KDR (VEGF-R2), and Flt4 (VEGF-R3). These receptors are recognized by members of the VEGF-related growth factors in that the ligands of Flt1 are VEGF and placenta growth factor (PIGF), whereas Flk1/KDR binds VEGF, VEGF-C and VEGF-D, and the ligands of Flt4 are VEGF-C and VEGF-D (Nicosia, Am. J. Pathol. 153, 11-16, 1998). The second family of endothelial cell specific receptor tyrosine kinases is represented by Tie1 and Tie2 (also known as Tek). Whereas Tie1 remains an orphan receptor, three secreted glycoprotein ligands of Tie2, Ang1, Ang2, and Ang3/Ang4 have been discovered (Davis et al., Cell 87, 1161-1169, 1996; Maisonpierre et al., Science 277, 55-60, 1997; Valenzuela et al, Proc. Natl. Acad. Sci. USA 96, 1904-1909, 1999; patents: US 5,521,073; US 5,650,490; US 5,814,464).

The pivotal role of VEGF and of its receptors during vascular development was exemplified in studies on targeted gene inactivation. Even the heterozygous disruption of the VEGF gene resulted in fatal deficiencies in vascularization (Carmeliet et al., Nature 380, 435-439, 1996; Ferrara et al., Nature 380, 439-442,

1996). Mice carrying homozygous disruptions in either Flt1 or Flk1/KDR gene die in mid-gestation of acute vascular defects. However, the phenotypes are distinct in that Flk1/KDR knock-out mice lack both endothelial cells and a developing hematopoietic system (Shalaby et al. *Nature* 376, 62-66, 1995), whereas Flt1
 5 deficient mice have normal hematopoietic progenitors and endothelial cells, which fail to assemble into functional vessels (Fong et al., 376, 66-70, 1995). Disruption of the Flt4 gene, whose extensive embryonic expression becomes restricted to lymphatic vessels in adults, revealed an essential role of Flt4 for the remodeling and maturation of the primary vascular networks into larger blood vessels during
 10 early development of the cardiovascular system (Dumont et al., *Science* 282, 946-949, 1998). Consistent with the lymphatic expression of Flt4 in adults overexpression of VEGF-C in the skin of transgenic mice resulted in lymphatic, but not vascular, endothelial proliferation and vessel enlargement (Jeltsch et al., *Science* 276, 1423-1425, 1997). Moreover, VEGF-C was reported to induce
 15 neovascularization in mouse cornea and chicken embryo chorioallantoic membrane models of angiogenesis (Cao et al., *Proc. Natl. Acad. Sci. USA* 95, 14389-14394, 1998).

The second class of endothelial cell specific receptor tyrosine kinases has also
 20 been found to be critically involved in the formation and integrity of vasculature. Mice deficient in Tie1 die of edema and hemorrhage resulting from poor structural integrity of endothelial cells of the microvasculature (Sato et al., *Nature* 376, 70-74, 1995; Rodewald & Sato, *Oncogene* 12, 397-404, 1996). The Tie2 knock-out phenotype is characterized by immature vessels lacking branching networks and
 25 lacking periendothelial support cells (Sato et al., *Nature* 376, 70-74, 1995; Dumont et al., *Genes Dev.* 8, 1897-1909, 1994). Targeted inactivation of the Tie2 ligand Ang1, as well as overexpression of Ang2, an inhibitory ligand, resulted in phenotypes similar to the Tie2 knock out (Maisonpierre et al., *Science* 277, 55-60, 1997; Suri et al., *cell* 87, 1171-1180). Conversely, increased vascularization was
 30 observed upon transgenic overexpression of Ang1 (Suri et al., *Science* 282, 468-471, 1998; Thurston et al., *Science* 286, 2511-2514, 1999).

The results from angiogenic growth factor expression studies in corpus luteum development (Maisonpierre et al., *Science* 277, 55-60, 1997; Goede et al. *Lab.*

Invest. 78, 1385-1394, 1998), studies on blood vessel maturation in the retina (Alon et al., Nature Med. 1, 1024-1028, 1995; Benjamin et al, Development 125, 1591-1598, 1998), and gene targeting and transgenic experiments on Tie2, Ang1, and Ang2, suggest a fundamental role of the Angiopoietin/Tie receptor system in mediating interactions between endothelial cells and surrounding pericytes or smooth muscle cells. Ang1, which is expressed by the periendothelial cells and seems to be expressed constitutively in the adult, is thought to stabilize existing mature vessels. Ang2, the natural antagonist of Ang1 which is expressed by endothelial cells at sites of vessel sprouting, seems to mediate loosening of endothelial-periendothelial cell contacts to allow vascular remodeling and sprouting in cooperation with angiogenesis initiators such as VEGF, or vessel regression in the absence of VEGF (Hanahan, Science 277, 48-50, 1997).

In pathological settings associated with aberrant neovascularization elevated expression of angiogenic growth factors and of their receptors has been observed. Most solid tumors express high levels of VEGF and the VEGF receptors appear predominantly in endothelial cells of vessels surrounding or penetrating the malignant tissue (Plate et al., Cancer Res. 53, 5822-5827, 1993). Interference with the VEGF/VEGF receptor system by means of VEGF-neutralizing antibodies (Kim et al., Nature 362, 841-844, 1993), retroviral expression of dominant negative VEGF receptor variants (Millauer et al., Nature 367, 576-579, 1994), recombinant VEGF-neutralizing receptor variants (Goldman et al., Proc. Natl. Acad. Sci. USA 95, 8795-8800, 1998), or small molecule inhibitors of VEGF receptor tyrosine kinase (Fong et al., Cancer Res. 59, 99-106, 1999; Wedge et al., Cancer Res. 60, 970-975, 2000; Wood et al. Cancer Res. 60, 2178-2189, 2000), or targeting cytotoxic agents via the VEGF/VEGF receptor system (Arora et al., Cancer Res. 59, 183-188, 1999; EP 0696456A2) resulted in reduced tumor growth and tumor vascularization. However, although many tumors were inhibited by interference with the VEGF/VEGF receptor system, others were unaffected (Millauer et al., Cancer Res. 56, 1615-1620, 1996). Human tumors as well as experimental tumor xenografts contain a large number of immature blood vessels that have not yet recruited periendothelial cells. The fraction of immature vessels is in the range of 40% in slow growing prostate cancer and 90% in fast growing glioblastoma. A selective obliteration of immature tumor vessels was observed upon withdrawal of

VEGF by means of downregulation of VEGF transgene expression in a C6 glioblastoma xenograft model. This result is in accordance with a function of VEGF as endothelial cell survival factor. Similarly, in human prostate cancer shutting off VEGF expression as a consequence of androgen-ablation therapy led to selective apoptotic death of endothelial cells in vessels lacking periendothelial cell coverage. In contrast, the fraction of vessels which resisted VEGF withdrawal showed periendothelial cell coverage (Benjamin et al., J. Clin. Invest. 103, 159-165, 1999).

The observation of elevated expression of Tie receptors in the endothelium of metastatic melanomas (Kaipainen et al., Cancer Res. 54, 6571-6577, 1994), in breast carcinomas (Salvén et al., Br. J. Cancer 74, 69-72, 1996), and in tumor xenografts grown in the presence of dominant-negative VEGF receptors (Millauer et al., Cancer Res. 56, 1615-1620, 1996), as well as elevated expression of Flt4 receptors in the endothelium of lymphatic vessels surrounding lymphomas and breast carcinomas (Jussila et al., Cancer Res. 58, 1599-1604, 1998), and of VEGF-C in various human tumor samples (Salvén et al., Am. J. Pathol. 153, 103-108, 1998), suggested these endothelium-specific growth factors and receptors as candidate alternative pathways driving tumor neovascularization. The high upregulation of Ang2 expression already in early tumors has been interpreted in terms of a host defense mechanism against initial cooption of existing blood vessels by the developing tumor. In the absence of VEGF, the coopted vessels undergo regression leading to necrosis within the center of the tumor. Contrarily, hypoxic upregulation of VEGF expression in cooperation with elevated Ang2 expression rescues and supports tumor vascularization and tumor growth at the tumor margin (Holash et al., Science 284, 1994-1998, 1999; Holash et al., Oncogene 18, 5356-5362, 1999).

Interference with Tie2 receptor function by means of Angiopoietin-neutralizing Tie2 variants consisting of the extracellular ligand-binding domain has been shown to result in inhibition of growth and vascularization of experimental tumors (Lin et al., J. Clin. Invest. 103, 159-165, 1999; Lin et al. Proc. Natl. Acad. Sci. USA 95, 8829-8834, 1998; Siemeister et al., Cancer Res. 59, 3185-3191, 1999). Comparing the effects of interference with the endothelium-specific receptor

tyrosine kinase pathways by means of paracrine expression of the respective extracellular receptor domains on the same cellular background demonstrated inhibition of tumor growth upon blockade of the VEGF receptor system and of the Tie2 receptor system, respectively (Siemeister et al., Cancer Res. 59, 3185-3191, 1999).

It is known that the inhibition of the VEGF/VEGR receptor system by various methods resulted only in slowing down growth of most experimental tumors (Millauer et al., Nature 367, 576-579, 1994; Kim et al., Nature 362, 841-844, 1993; Millauer et al., Cancer Res. 56, 1615-1620, 1996; Goldman et al., Proc. Natl. Acad. Sci. USA 95, 8795-8800, 1998; Fong et al., Cancer Res. 59, 99-106, 1999; Wedge et al., Cancer Res. 60, 970-975, 2000; Wood et al. Cancer Res. 60, 2178-2189, 2000; Siemeister et al., Cancer Res. 59, 3185-3191, 1999). Even by escalation of therapeutic doses a plateau level of therapeutic efficacy was achieved (Kim et al., Nature 362, 841-844, 1993; Wood et al. Cancer Res. 60, 2178-2189, 2000). Similar results were observed upon interference with the Angiopoietin/Tie2 receptor system (Lin et al., J. Clin. Invest. 103, 159-165, 1999; Lin et al., Proc. Natl. Acad. Sci. USA 95, 8829-8834, 1998; Siemeister et al., Cancer Res. 59, 3185-3191, 1999).

However, there is a high demand for methods that enhance the therapeutic efficacy of anti-angiogenous compounds.

Searching for methods that enhance the therapeutic efficacy of anti-angiogenic compounds, superior anti-tumor effects were observed unexpectedly upon combination of inhibition of VEGF/VEGF receptor systems and interference with biological function of Angiopoietin/Tie receptor systems. The mode of action underlying the superior effects observed may be that interference biological function of Angiopoietin/Tie receptor systems destabilizes endothelial cell-peri-endothelial cell interaction of existing mature tumor vessels and thereby sensitizes the endothelium to compounds directed against VEGF/VEGF receptor systems.

Based on this unexpected finding the present invention provides the combination of functional interference with VEGF/VEGF receptor systems and with

Angiopoietin/Tie receptor systems for inhibition of vascularization and of tumor growth.

The pharmaceutical composition consists of two components: compound I inhibits the biological activity of one or several of the VEGF/VEGF receptor systems or

5 consists of cytotoxic agents which are targeted to the endothelium via recognition of VEGF/VEGF receptor systems. Compound II interferes with the biological function of one or several of Angiopoietin/Tie receptor systems or consists of cytotoxic agents which are targeted to the endothelium via recognition of Angiopoietin/Tie receptor systems. Alternatively, compound I inhibits the biological
10 activity of one or several of the VEGF/VEGF receptor systems or of the Angiopoietin/Tie receptor systems and compound II consists of cytotoxic agents which are targeted to the endothelium via recognition of one or several of the VEGF/VEGF receptor systems or of the Angiopoietin/Tie receptor systems. Targeting or modulation of the biological activities of VEGF/VEGF receptor
15 systems and of Angiopoietin/Tie receptor systems can be performed by

- (a) compounds which inhibit receptor tyrosine kinase activity,
- (b) compounds which inhibit ligand binding to receptors,
- (c) compounds which inhibit activation of intracellular signal pathways of the
20 receptors,
- (d) compounds which inhibit or activate expression of a ligand or of a receptor of the VEGF or Tie receptor system,
- (e) delivery systems, such as antibodies, ligands, high-affinity binding oligonucleotides or oligopeptides, or liposomes, which target cytotoxic agents
25 or coagulation-inducing agents to the endothelium via recognition of VEGF/VEGF receptor or Angiopoietin/Tie receptor systems,
- (f) delivery systems, such as antibodies, ligands, high-affinity binding oligonucleotides or oligopeptides, or liposomes, which are targeted to the endothelium and induce necrosis or apoptosis.

30


A compound comprised by compositions of the present invention can be a small molecular weight substance, an oligonucleotide, an oligopeptide, a recombinant protein, an antibody, or conjugates or fusionproteins thereof. An example of an inhibitor is a small molecular weight molecule which inactivates a receptor tyrosine

kinase by binding to and occupying the catalytic site such that the biological activity of the receptor is decreased. Kinase inhibitors are known in the art (Sugen: SU5416, SU6668; Fong et al. (1999), *Cancer Res.* 59, 99-106; Vajkoczy et al., *Proc. Am. Associ. Cancer Res. San Francisco* (2000), Abstract ID 3612; Zeneca: ZD4190, ZD6474; Wedge et al. (2000), *Cancer Res.* 60, 970-975; Parke-Davis PD0173073, PD0173074; Johnson et al., *Proc. Am. Associ. Cancer Res., San Francisco* (2000), Abstract ID 3614; Dimitroff et al. (1999), *Invest. New Drugs* 17, 121-135). An example of an antagonist is a recombinant protein or an antibody which binds to a ligand such that activation of the receptor by the ligand is prevented. Another example of an antagonist is an antibody which binds to the receptor such that activation of the receptor is prevented. An example of an expression modulator is an antisense RNA or ribozyme which controls expression of a ligand or a receptor. An example of a targeted cytotoxic agent is a fusion protein of a ligand with a bacterial or plant toxin such as *Pseudomonas* exotoxin A, Diphtheria toxin, or Ricin A. An example of a targeted coagulation-inducing agent is a conjugate of a single chain antibody and tissue factor. Ligand-binding inhibitors such as neutralizing antibodies which are known in the art are described by Genentech (rhuMAbVEGF) and by Presta et al. (1997), *Cancer Res.* 57, 4593-4599. Ligand-binding receptor domains are described by Kendall & Thomas (1993), *Proc. Natl. Acad. Sci., U.S.A.* 90, 10705-10709; by Goldman et al. (1998) *Proc. Natl. Acad. Sci., U.S.A.* 95, 8795-8800 and by Lin et al. (1997), *J. Clin. Invest.* 100, 2072-2078. Further, dominant negative receptors have been described by Millauer et al. (1994), *Nature* 367, 567-579. Receptor blocking antibodies have been described by Imclone (c-p1C11, US 5,874,542). Further known are antagonistic ligand mutants (Siemeister et al. (1998), *Proc. Natl. Acad. Sci., U.S.A.* 95, 4625-4629). High affinity ligand- or receptor binding oligo nucleotides have been described by NeXstar (NX-244) and Drolet et al. (1996), *Nat. Biotech* 14, 1021-1025. Further, small molecules and peptides have been described.

Expression regulators have been described as anti-sense oligo nucleotides and as ribozymes (RPI, Angiozyme™, see RPI Homepage).

Examples for delivery-/Targeting-Systems have been described as ligand/
 antibody-toxin-fusion-proteins or conjugates (Arora et al. (1999), Cancer Res. 59,
 183-188 and Olson et al. (1997), Int. J. Cancer 73, 865-870), as endothel cell
 targeting of liposomes (Spragg et al. (1997), Prog. Natl. Acad. Sci, U.S.A94, 8795-
 5 8800, and as endothel cell targeting plus coagulation-induction (Ran et al., (1998),
 Cancer Res. 58, 4646-4653).

10 Small molecules which inhibit the receptor tyrosine kinase activity are for example
 molecules of general formula I




in which

r has the meaning of 0 to 2,

n has the meaning of 0 to 2;


25 R₃ und R₄ a) each independently from each other have the meaning
 of lower alkyl,

b) together form a bridge of general partial formula II,



wherein the binding is via the two terminal C- atoms, and m has the meaning of 0 to 4; or

c) together form a bridge of partial formula III



wherein one or two of the ring members T_1, T_2, T_3, T_4 has the meaning of nitrogen, and each others have the meaning of CH, and the bining is via the atoms T_1 and T_4 ;

G has the meaning of $C_1 - C_6$ - alkyl, $C_2 - C_6$ - alkylene or $C_2 - C_6$ - alkenylene; or $C_2 - C_6$ - alkylene or $C_3 - C_6$ - alkenylene, which are substituted with acyloxy or hydroxy; $-CH_2-O-$, $-CH_2-S-$, $-CH_2-NH-$, $-CH_2-O-CH_2-$, $-CH_2-S-CH_2-$, $-CH_2-NH-CH_2$, oxa ($-O-$), thia ($-S-$) or imino ($-NH-$),

A, B, D, E and T independently from each other have the meaning of N or CH, with the provisio that not more than three of these Substituents have the meaning of N,


Q has the meaning of lower alkyl, lower alkyloxy or halogene,
 R₁ and R₂ independently from each other have the meaning of H or
 lower alkyl,
 X has the meaning of imino, oxa or thia;
 5 Y has the meaning of hydrogen, unsubstituted or substituted
 aryl, heteroaryl, or unsubstituted or substituted cycloalkyl; and
 Z has the meaning of amino, mono- or disubstituted amino,
 halogen, alkyl, substituted alkyl, hydroxy, etherificated or
 esterificated hydroxy, nitro, cyano, carboxy, esterificated
 10 carboxy, alkanoyl, carbamoyl, N-mono- or N, N- disubstituted
 carbamoyl, amidino, guanidino, mercapto, sulfo, phenylthio,
 phenyl-lower-alkyl-thio, alkyl-phenyl-thio, phenylsulfinyl,
 phenyl-lower-alkyl-sulfinyl, alkylphenylsulfinyl, phenylsulfonyl,
 phenyl-lower-alkan-sulfonyl, or alkylphenylsulfonyl, whereas, if
 15 more than one rest Z is present ($m \geq 2$), the substituents Z are
 equal or different from each other, and wherein the bonds
 marked with an arrow are single or double bonds; or an N-
 oxide of said compound, wherein one or more N-atoms carry
 an oxygene atom, or a salt thereof.

20 A preferred salt is the salt of an organic acid, especially a succinate.

These compounds can preferentially be used as compound I or II in the inventive
 pharmaceutical composition.


25 Compounds which stop a tyrosin phosphorylation, or the persistent angiogenese,
 respectively, which results in a prevention of tumor growth and tumor spread, are
 for example

anthranyl acid derivatives of general formula IV




in which

- A has the meaning of group $=NR^2$,
- W has the meaning of oxygen, sulfur, two hydrogen atoms or the group $=NR^8$,
- Z has the meaning of the group $=NR^{10}$ or $=N-$, $-N(R^{10})-$, $(CH_2)_q-$, branched or unbranched C_{1-6} -Alkyl or is the group



or A, Z and R^1 together form the group



m, n and o

q

R_a, R_b, R_c, R_d, R_e, R_f

has the meaning of 0 – 3,

has the meaning of 1 – 6,

independently from each other have the meaning of hydrogen, C₁₋₄ alkyl or the group =NR¹⁰, and/ or R_a and/ or R_b together with R_c and or R_d or R_e together with R_e and/ or R_f form a bound, or up to two of the groups R_a-R_f form a bridge with each up to 3 C-atoms with R¹ or R²,

X

Y

p

R¹

has the meaning of group =NR⁹ or =N-,

has the meaning of group -(CH₂)_p,

has the meaning of integer 1-4,

has the meaning of unsubstituted or optionally substituted with one or more of halogene, C₁₋₆-alkyl, or C₁₋₆-alkyl or C₁₋₆-alkoxy, which is optionally substituted by one or more of halogen, or is unsubstituted or substituted aryl or heteroaryl,

R²

has the meaning of hydrogen or C₁₋₆-alkyl, or form a bridge with up to 3 ring atoms with R_a-R_f together with Z or R₁,


R³

has the meaning of monocyclic or bicyclic aryl or heteroaryl which is unsubstituted or optionally substituted with one or more of fur halogen, C₁₋₆-alkyl, C₁₋₆-alkoxy or hydroxy,

R⁴, R⁵, R⁶ and R⁷

independently from each other have the meaning of hydrogen, halogen or C₁₋₆-alkoxy, C₁₋₆-alkyl or


C₁₋₆-carboxyalkyl, which are unsubstituted or optionally substituted with one or more of halogen, or R⁵ and R⁶ together form the group



- 5 R⁸, R⁹ and R¹⁰ independently from each other have the meaning of hydrogen or C₁₋₆-alkyl, as well as their isomers and salts.

10 These compounds can also preferentially be used as compound I or II in the inventive pharmaceutical composition.

More preferentially compounds of general formula V





V,

15 in which
R¹


has the meaning of group

20






in which R^5 is chloro, bromo or the group $-OCH_3$,



in which R^7 is $-CH_3$ or chloro,




in which R^8 is $-CH_3$, fluoro, chloro or $-CF_3$

in which R^4 is fluoro, chloro, bromo, $-CF_3$, $-N=C$, $-CH_3$, $-OCF_3$ or $-CH_2OH$

in which R^6 is $-CH_3$ or chloro

R^2

has the meaning of pyridyl or the group



and

R^3

has the meaning of hydrogen or fluoro, as well as their isomers and salts can be used as compound I or II in the inventive pharmaceutical composition.

These compounds have the same properties as already mentioned above under compound IV and can be used for the treatment of angiogeneous diseases.

Compositions comprise compounds of general formulars I, IV and V, alone or in combination.

The above mentioned compounds are also claimed matter within the inventive combinations.

A further example for ligand binding inhibitors are peptides and DNA sequences coding for such peptides, which are used for the treatment of angiogeneous diseases. Such peptides and DNA sequences are disclosed in Seq. ID No. 1 to 59 of the sequence protocoll. It has been shown that Seq. ID Nos. 34 and 34a are of main interest.

Claimed matter of the instant invention are therefor pharmaceutical compositions

a) comprising one or several agents as compound I which modulate the biological function of one or several of the VEGF/VEGF receptor systems, and comprising one or several agents as compound II which modulate the biological function of one or several of the Angiopoietin/Tie receptor systems,

5

b) comprising one or several agents as compound I which are targeted to the endothelium via one or several of the VEGF/VEGF receptor systems, and comprising one or several agents as compound II which modulate the biological function of one or several of the Angiopoietin/Tie receptor systems,

10

c) comprising one or several agents as compound I which modulates the biological function of one or several of the VEGF/VEGF receptor systems or of one or several of the Angiopoietin/ Tie receptor systems and comprising one or several agents as compound II which are targeted to the endothelium,

15

d) comprising one or several agents as compound I which modulate the biological function of one or several of the VEGF/VEGF receptor systems, and comprising one or several agents as compound II which are targeted to the endothelium via one or several of the Angiopoietin/Tie receptor systems,

20

e) comprising one or several agents as compound I which are targeted to the endothelium via one or several of the VEGF/VEGF receptor systems, and comprising one or several agents as compound II which are targeted to the endothelium via one or several of the Angiopoietin/Tie receptor systems,

25

f) comprising one or several agents as compound I which modulate the biological function of one or several of the VEGF/VEGF receptor systems, and comprising one or several agents as compound II which are targeted to the endothelium via one or several of the VEGF/VEGF receptor systems,

30

g) comprising one or several agents as compound I which modulate the biological function of one or several of the Angiopoietin/Tie receptor systems, and comprising one or several agents as compound II which are targeted to the endothelium via one or several of the Angiopoietin/Tie receptor systems and

h) comprising one or several agents which interfere with both the function of one or several of the VEGF/VEGF receptor systems and the function of one or several of the Angiopoietin/Tie receptor systems.

5

For a sequential therapeutical application the inventive pharmaceutical compositions can be applied simultaneously or separately .

10

The inventive compositions comprise as compound I or as compound II at least one of

- a) compounds which inhibit receptor tyrosine kinase activity,
- b) compounds which inhibit ligand binding to receptors,
- c) compounds which inhibit activation of intracellular signal pathways of the receptors,
- 15 d) compounds which inhibit or activate expression of a ligand or of a receptor of the VEGF or Tie receptor system,
- e) delivery systems, such as antibodies, ligands, high-affinity binding oligonucleotides or oligopeptides, or liposomes, which target cytotoxic agents or coagulation-inducing agents to the endothelium via recognition of
- 20 VEGF/VEGF receptor or Angiopoietin/Tie receptor systems,
- f) delivery systems, such as antibodies, ligands, high-affinity binding oligonucleotides or oligopeptides, or liposomes, which are targeted to the endothelium and induce necrosis or apoptosis.

These compositions are also claimed matter of the present invention.

25

Also claimed matter of the present invention are pharmaceutical compositions which comprise as compound I and/ or II at least one of Seq. ID Nos. 1-59.

Of most value are pharmaceutical compositions, which comprise as compound I and/ or II Seq. ID Nos. 34a und pharmaceutical compositions according to claims

30

which comprise as compound I and/ or II at least one of sTie2, mAB 4301-42-35, scFv-tTF and/ or L19 scFv-tTF conjugate.

Further preferred matter of the present invention are pharmaceutical compositions, which comprise as compound I and/ or II at least one small molecule of general formula I, general formula IV and/ or general formula V.

- 5 The most preferred compound which can be used as compound I or II in the inventive composition is (4-Chlorophenyl)[4-(4-pyridylmethyl)-phthalazin-1-yl]ammonium hydrogen succinate.

Therefore, claimed matter of the present invention are also pharmaceutical compositions, which comprise as compound I (4-Chlorophenyl)[4-(4-pyridylmethyl)-phthalazin-1-yl]ammonium hydrogen succinate, sTie2, mAB 4301-42-35, scFv-tTF and/ or L19 scFv-tTF conjugate, and as compound II (4-Chlorophenyl)[4-(4-pyridylmethyl)-phthalazin-1-yl]ammonium hydrogen succinate, sTie2, mAB 4301-42-35, scFv-tTF and/ or L19 scFv-tTF conjugate, with the proviso that compound I is not identically to compound II, and most preferred pharmaceutical compositions, which comprise as compound I (4-Chlorophenyl)[4-(4-pyridylmethyl)-phthalazin-1-yl]ammonium hydrogen succinate and as compound II sTie2, mAB 4301-42-35, scFv-tTF and/ or L19 scFv-tTF conjugate; pharmaceutical compositions, which comprise as compound I mAB 4301-42-35 and as compound II sTie2, and/ or scFv-tTF conjugate; pharmaceutical compositions, which comprise as compound I scFv-tTF conjugate and as compound II sTie2 and/ or mAB 4301-42-35; pharmaceutical compositions, which comprise as compound I L19 scFv-tTF conjugate and as compound II sTie2.

- The small molecule compounds, proteins and DNA's expressing proteins, as mentioned above can be used as medicament alone, or in form of formulations for the treatment of tumors, cancers, psoriasis, arthritis, such as rheumatoid arthritis, hemangioma, angiofibroma, eye diseases, such as diabetic retinopathy, neovascular glaucoma, kidney diseases, such as glomerulonephritis, diabetic nephropathy, malignant nephrosclerosis, thrombotic microangiopathic syndrome, transplantation rejections and glomerulopathy, fibrotic diseases, such as cirrhotic liver, mesangial cell proliferative diseases, arteriosclerosis and damage of nerve tissues.

The treatment of the damaged nerve tissues with the inventive combination hinders the rapid formation of scars at the damaged position. Thus, there is no

scar formation before the axons communicate with each other. Therefore a reconstruction of the nerve bindings is much more easier.

Further, the inventive combinations can be used for suppression of the ascites formation in patients. It is also possible to suppress VEGF oedemas.

For the use of the inventive combinations as medicament the compounds will be formulated as pharmaceutical composition. Said formulation comprises beside the active compound or compounds acceptable pharmaceutically, organically or inorganically inert carriers, such as water, gelatine, gum arabic, lactose, starch, magnesium stearate, talcum, plant oils, polyalkylene glycols, etc. Said pharmaceutical preparations can be applied in solid form, such as tablets, pills, suppositories, capsules, or can be applied in fluid form, such as solutions, suspensions or emulsions.

If necessary, the compositions additionally contain additives, such as preservatives, stabilizer, detergents or emulgators, salts for alteration of the osmotic pressure and/ or buffer.

These uses are also claimed matter of the instant invention, as well as the formulations of the active compounds

For parenteral application especially injectable solutions or suspensions are suitable, especially hydrous solutions of the active compound in polyhydroxyethoxylated castor-oil are suitable.

As carrier also additives can be used, such as salts of the gallic acid or animal or plant phospholipids, as well as mixtures thereof, and liposomes or ingredients thereof.

For oral application especially suitable are tablets, pills or capsules with talcum and/ or hydrocarbon carriers or binders, such as lactose, maize or potato starch. The oral application can also be in form of a liquid, such as juice, which optionally contains a sweetener.

The dosis of the active compound differs depending on the application of the compound, age and weight of the patient, as well as the form and the progress of the disease.

The daily dosage of the active compound is 0,5-1000 mg, especially 50-200 mg.

The dosis can be applied as single dose or as two or more daily dosis.

These formulations and application forms are also part of the instant invention.

Combined functional interference with VEGF/VEGF receptor systems and with
 5 Angiopoietin/Tie receptor systems can be performed simultaneously, or in
 sequential order such that the biological response to interference with one
 ligand/receptor system overlaps with the biological response to interference with a
 second ligand/receptor system. Alternatively, combined functional interference
 with VEGF/VEGF receptor systems or with Angiopoietin/Tie receptor systems and
 10 targeting of cytotoxic agents via VEGF/VEGF receptor systems or via
 Angiopoietin/Tie receptor systems can be performed simultaneously, or in
 sequential order such that the biological response to functional interference with a
 ligand/receptor system overlaps in time with targeting of cytotoxic agents.

15 The invention is also directed to a substance which functional interferes with both
 VEGF/VEGF receptor systems and Angiopoietin/Tie receptor systems, or which
 are targeted via both VEGF/VEGF receptor systems and Angiopoietin/Tie receptor
 systems.

20 VEGF/VEGF receptor systems include the ligands VEGF-A, VEGF-B, VEGF-C,
 VEGF-D, PlGF, and the receptor tyrosine kinases VEGF-R1 (Flt1), VEGF-R2
 (KDR/Flk1), VEGF-R3 (Flt4), and their co-receptors (i.e. neuropilin-1).

Angiopoietin/Tie receptor systems include Ang1, Ang2, Ang3/Ang4, and
 angiopoietin related polypeptides which bind to Tie1 or to Tie2, and the receptor
 25 tyrosine kinases Tie1 and Tie2.

Pharmaceutical compositions of the present invention can be used for medicinal
 purposes. Such diseases are, for example, cancer, cancer metastasis,
 angiogenesis including retinopathy and psoriasis. Pharmaceutical compositions of
 30 the present invention can be applied orally, parenterally, or via gene therapeutic
 methods.

Therefor the present invention also concerns the use of pharmaceutical
 compositions for the production of a medicament for the treatment of tumors,

cancers, psoriasis, arthritis, such as rheumatoid arthritis, hemangioma, angiofibroma, eye diseases, such as diabetic retinopathy, neovascular glaucoma, kidney diseases, such as glomerulonephritis, diabetic nephropathy, malignant nephrosclerosis, thrombotic microangiopathic syndrome, transplantation rejections and glomerulopathy, fibrotic diseases, such as cirrhotic liver, mesangial cell proliferative diseases, arteriosclerosis, damage of nerve tissues, suppression of the ascites formation in patients and suppression of VEGF oedemas.

The following examples demonstrate the feasibility of the disclosed invention, without restricting the invention to the disclosed examples.

5 Example 1

Superior effect on inhibition of tumor growth via combination of inhibition of the VEGF A/VEGF receptor system together with functional interference with the Angiopoietin/Tie2 receptor system over separate modes of intervention was demonstrated in an A375v human melanoma xenograft model.

Human melanoma cell line A375v was stably transfected to overexpress the extracellular ligand-neutralizing domain of human Tie2 receptor tyrosine kinase (sTie2; compound II) (Siemeister et al., Cancer Res. 59, 3185-3191, 1999). For control, A375v cells were stably transfected with the empty expression vector (A375v/pCEP). Swiss *nu/nu* mice were s.c. injected with 1×10^6 transfected A375v/sTie2 or A375v/pCEP tumor cells, respectively. Animals receiving compound I were treated for up to 38 days with daily oral doses of 50 mg/kg of the VEGF receptor tyrosine kinase inhibitor (4-Chlorophenyl)[4-(4-pyridylmethyl)-phthalazin-1-yl]ammonium hydrogen succinate (Wood et al., Cancer Res. 60, 2178-2189, 2000). Various modes of treatment are described in Table 1. Tumor growth was determined by caliper measurement of the largest diameter and its perpendicular.

Table 1

treatment group	mode of treatment	
	(4-Chlorophenyl)[4-(4-pyridylmethyl)-phthalazin-1-yl]ammonium hydrogen succinate (compound I)	sTie2 (compound II)
Group 1: A375v/pCEP	-	-
Group 2: A375v/pCEP	+	-
Group 3: A375v/sTie2	-	+
Group 4: A375v/sTie2	+	+

- 5 Tumors derived from A375v/pCEP control cells reached a size of approx. 250 mm² (mean area) within 24 days (Figure 1) without treatment (group 1). Separate treatment with the VEGF receptor inhibitor (4-Chlorophenyl)[4-(4-pyridylmethyl)-phthalazin-1-yl]ammonium hydrogen succinate (compound I, treatment group 2) or separate interference with Angiopoietin/Tie2 receptor system by means of
- 10 expression of sTie2 (compound II, treatment group 3) delayed growth of tumors to a size of approx. 250 mm² to 31 days, respectively. Combination of interference with the Angiopoietin/Tie2 system by means of expression of sTie2 and of interference with the VEGF/VEGF receptor system by means of the kinase inhibitor (4-Chlorophenyl)[4-(4-pyridylmethyl)-phthalazin-1-yl]ammonium hydrogen
- 15 succinate (compound I + compound II, treatment group 4) delayed growth of the tumors to a size of approx. 250 mm² to 38 days.

This result clearly demonstrates the superior effect of a combination of interference with the VEGF-A/VEGF receptor system and the Angiopoietin/Tie2 receptor system over separate modes of intervention.

Example 2

Combination of functional interference with the Angiopoietin/Tie2 receptor system and neutralization of VEGF-A is superior to separate modes of intervention in inhibition of tumor growth.

Tumors derived from A375v/sTie2 cells and from A375v/pCEP cells were induced in nude mice as described in example 1. Animals receiving compound I were treated twice weekly over a period of time of 4 weeks with intraperitoneal doses of 200 µg of the VEGF-A-neutralizing monoclonal antibody (mAb) 4301-42-35 (Schlaeppli et al., J. Cancer Res. Clin. Oncol. 125, 336-342, 1999). Various modes of treatment are described in Table 2. Animals were sacrificed for ethical reasons when tumors of group 1 exceeded a volume of approx. 1000 mm³. Tumor growth was determined by caliper measurement of the largest diameter and its perpendicular.

Table 2

treatment group	mode of treatment	
	mAb 4301-42-35 (compound I)	sTie2 (compound II)
Group 1: A375v/pCEP	-	-
Group 2: A375v/pCEP	+	-
Group 3: A375v/sTie2	-	+
Group 4: A375v/sTie2	+	+

Tumors derived from A375v/pCEP control cells reached a size of approx. 1000 mm³ within 28 days (Figure 2) without treatment (group 1). Tumors treated with the VEGF-A-neutralizing mAb 4301-42-35 (compound I, treatment group 2) grew to a volume of approx. 450 mm³ within 28 days. Interference with

Angiopoietin/Tie2 receptor system by means of expression of sTie2 (compound II, treatment group 3) reduced growth of tumors within 28 day to a volume of approx. 600 mm², respectively. Combination of interference with the Angiopoietin/Tie2 system by means of expression of sTie2 and neutralizing of VEGF-A by means of the mAb 4301-42-35 (compound I + compound II, treatment group 4) resulted in a inhibition of tumor growth to a volume of approx. 250 mm³ within 28 days.

The superior effect of a combination of neutralization of VEGF-A and functional interference with the Angiopoietin/Tie2 receptor system over separate modes of intervention is clearly shown.

Example 3

Combination of functional interference with the Angiopoietin/Tie2 receptor system and targeting of a coagulation-inducing protein via the VEGF/VEGF receptor system is superior to separate modes of intervention in inhibition of tumor growth.

5

Tumors derived from A375v/sTie2 cells and from A375v/pCEP cells were induced in nude mice as described in example 1. A single chain antibody (scFv) specifically recognizing the human VEGF-A/VEGF receptor I complex (WO 99/19361) was expressed in *E. coli* and conjugated to coagulation-inducing recombinant human truncated tissue factor (tTF) by methods described by Ran et al. (Cancer Res. 58, 4646-4653, 1998). When tumors reached a size of approx. 200 mm³ animals receiving compound I were treated on day 0 and on day 4 with intravenous doses of 20 µg of the scFv-tTF conjugate. Various modes of treatment are described in Table 3. Animals were sacrificed for ethical reasons when tumors of group 1 exceeded a volume of approx. 1000 mm³. Tumor growth was determined by caliper measurement of the largest diameter and its perpendicular.

10

15

Table 3

treatment group	mode of treatment	
	scFv-tTF conjugate (compound I)	sTie2 (compound II)
Group 1: A375v/pCEP	-	-
Group 2: A375v/pCEP	+	-
Group 3: A375v/sTie2	-	+
Group 4: A375v/sTie2	+	+

20

Tumors derived from A375v/pCEP control cells reached a size of approx. 1000 mm³ within 28 days (Figure 3) without treatment (group 1). Tumors treated with the coagulation-inducing tTF targeted to the VEGF-A/VEGF receptor I complex via the scFv-tTF conjugate (compound I, treatment group 2) grew to a volume of approx. 500 mm³ within 28 days. Interference with Angiopoietin/Tie2 receptor system by means of expression of sTie2 (compound II, treatment group 3) reduced growth of tumors within 28 day to a volume of approx. 600 mm², respectively. Combination of interference with the Angiopoietin/Tie2 system by means of expression of sTie2 and of targeting the VEGF receptor complex (compound I + compound II, treatment group 4) resulted in a inhibition of tumor growth to a volume of approx. 300 mm³ within 28 days.

The superior effect of a combination of targeting of the coagulation-inducing tTF to the VEGF-A/VEGF receptor I complex and functional interference with the Angiopoietin/Tie2 receptor system over separate modes of intervention is clearly shown. Similar effects can be expected upon targeting of cytotoxic agents to VEGF/VEGF receptor systems.

Example 4

Combination of functional interference with the VEGF/VEGF receptor system and targeting of a coagulation-inducing protein via the VEGF/VEGF receptor system is superior to separate modes of intervention in inhibition of tumor growth.

Tumors derived from A375v/pCEP cells were induced in nude mice as described in example 1. Animals receiving compound I were treated for up to 28 days with daily oral doses of 50 mg/kg of the VEGF receptor tyrosine kinase inhibitor (4-Chlorophenyl)[4-(4-pyridylmethyl)-phthalazin-1-yl]ammonium hydrogen succinate (Wood et al., Cancer Res. 60, 2178-2189, 2000). Compound II consists of a single chain antibody (scFv) specifically recognizing the human VEGF-A/VEGF receptor I complex (WO 99/19361) which was expressed in *E. coli* and conjugated to coagulation-inducing recombinant human truncated tissue factor (tTF) by methods described by Ran et al. (Cancer Res. 58, 4646-4653, 1998). When tumors reached a size of approx. 200 mm³ animals receiving compound II were treated on day 0 and on day 4 with intravenous doses of 20 µg of the scFv-tTF conjugate. Various modes of treatment are described in Table 4. Animals were sacrificed for ethical reasons when tumors of group 1 exceeded a volume of approx. 1000 mm³. Tumor growth was determined by caliper measurement of the largest diameter and its perpendicular.

Table 4

treatment group	mode of treatment	
	(4-Chlorophenyl)[4-(4-pyridylmethyl)-phthalazin-1-yl]ammonium hydrogen succinate (compound I)	scFv-tTF conjugate (compound II)
Group 1: A375v/pCEP	-	-
Group 2: A375v/pCEP	+	-
Group 3: A375v/pCEP	-	+
Group 4: A375v/pCEP	+	+

- 5 Tumors derived from A375v/pCEP control cells reached a size of approx. 1000 mm³ within 28 days (Figure 4) without treatment (group 1). Separate treatment with the VEGF receptor inhibitor (4-Chlorophenyl)[4-(4-pyridylmethyl)-phthalazin-1-yl]ammonium hydrogen succinate (compound I, treatment group 2) resulted in a reduction of the tumor volumes to approx. 550 mm³. Tumors treated with the
- 10 coagulation-inducing tTF targeted to the VEGF-A/VEGF receptor I complex via the scFv-tTF conjugate (compound II, treatment group 3) grew to a volume of approx. 500 mm³ within 28 days. Combination of inhibition of VEGF receptor tyrosine kinase by means of (4-Chlorophenyl)[4-(4-pyridylmethyl)-phthalazin-1-yl]ammonium hydrogen succinate and of targeting the VEGF receptor complex
- 15 (compound I + compound II, treatment group 4) resulted in a inhibition of tumor growth to a volume of approx. 400 mm³ within 28 days.

The superior effect of a combination of targeting of the coagulation-inducing tTF to the VEGF-A/VEGF receptor I complex and functional interference with the

20 VEGF/VEGF receptor system over separate modes of intervention is clearly

shown. Similar effects can be expected upon targeting of cytotoxic agents to Angiopoietin/Tie receptor systems.

Example 5

Combination of functional interference with the Angiopoietin/Tie2 receptor system and endothelium-specific targeting of a coagulation-inducing protein is superior to separate modes of intervention in inhibition of tumor growth.

Tumors derived from A375v/sTie2 cells and from A375v/pCEP cells were induced in nude mice as described in example 1. A fusion protein (L19 scFv-tTF) consisting of L19 single chain antibody specifically recognizing the oncofoetal ED-B domain of fibronectin and the extracellular domain of tissue factor was expressed in *E. coli* as described by Nilsson et al. (Nat. Med., in press). Further, L19 scFv-tTF data have been represented by D. Neri and F. Nilsson (Meeting "Advances in the application of monoclonal antibodies in clinical oncology", Samos, Greece, 31. May-2. June 2000). When tumors reached a size of approx. 200 mm³ animals receiving compound I were treated with a single intravenous dose of 20 µg of L19 scFv-tTF in 200 µl saline. Various modes of treatment are described in Table 5. Animals were sacrificed for ethical reasons when tumors of group 1 exceeded a volume of approx. 1000 mm³. Tumor growth was determined by caliper measurement of the largest diameter and its perpendicular.

Table 5

treatment group	mode of treatment	
	L19 scFv-tTF (compound I)	sTie2 (compound II)
Group 1: A375v/pCEP	-	-
Group 2: A375v/pCEP	+	-
Group 3: A375v/sTie2	-	+
Group 4: A375v/sTie2	+	+

Tumors derived from A375v/pCEP control cells reached a size of approx. 1000 mm³ within 28 days (Figure 5) without treatment (group 1). Tumors treated with the coagulation-inducing L19 scFv-tTF (compound I, treatment group 2) grew to a volume of approx. 450 mm³ within 28 days. Interference with Angiopoietin/Tie2 receptor system by means of expression of sTie2 (compound II, treatment group 3) reduced growth of tumors within 28 day to a volume of approx. 600 mm³, respectively. Combination of interference with the Angiopoietin/Tie2 system by means of expression of sTie2 and of targeting the endothelium with L19 scFv-tTF (compound I + compound II, treatment group 4) resulted in a inhibition of tumor growth to a volume of approx. 250 mm³ within 28 days.

The superior effect of a combination of targeting of L19 scFv-tTF to the endothelium and functional interference with the Angiopoietin/Tie2 receptor system over separate modes of intervention is clearly shown.

Example 6

- Combination of functional interference with the VEGF/VEGF receptor system and endothelium-specific targeting of a coagulation-inducing protein is superior to
5 separate modes of intervention in inhibition of tumor growth.

Tumors derived from A375v/pCEP cells were induced in nude mice as described in example 1. Animals receiving compound I were treated for up to 28 days with daily oral doses of 50 mg/kg of the VEGF receptor tyrosine kinase inhibitor (4-Chlorophenyl)[4-(4-pyridylmethyl)-phthalazin-1-yl]ammonium hydrogen succinate
10 (Wood et al., Cancer Res. 60, 2178-2189, 2000). Compound II consists of L19 scFv-tTF fusion protein as described in example 5. When tumors reached a size of approx. 200 mm³ animals receiving compound II were treated with a single intravenous dose of 20 µg of L19 scFv-tTF in 200 µl saline. Various modes of
15 treatment are described in Table 6. Animals were sacrificed for ethical reasons when tumors of group 1 exceeded a volume of approx. 1000 mm³. Tumor growth was determined by caliper measurement of the largest diameter and its perpendicular.

Table 6

treatment group	mode of treatment	
	(4-Chlorophenyl)[4-(4-pyridylmethyl)- phthal-azin-1-yl]ammonium hydrogen succinate (compound I)	L19 scFv-tTF (compound II)
Group 1: A375v/pCEP	-	-
Group 2: A375v/pCEP	+	-
Group 3: A375v/pCEP	-	+
Group 4: A375v/pCEP	+	+

5

Tumors derived from A375v/pCEP control cells reached a size of approx. 1000 mm³ within 28 days (Figure 6) without treatment (group 1). Separate treatment with the VEGF receptor inhibitor (4-Chlorophenyl)[4-(4-pyridylmethyl)-phthalazin-1-yl]ammonium hydrogen succinate (compound I, treatment group 2) resulted in a reduction of the tumor volumes to approx. 550 mm³. Tumors treated with the coagulation-inducing L19 scFv-tTF targeted to the endothelium (compound II, treatment group 3) grew to a volume of approx. 450 mm³ within 28 days. Combination of inhibition of VEGF receptor tyrosine kinase by means of (4-Chlorophenyl)[4-(4-pyridylmethyl)-phthalazin-1-yl]ammonium hydrogen succinate and of targeting the VEGF receptor complex (compound I + compound II, treatment group 4) resulted in a inhibition of tumor growth to a volume of approx. 200 mm³ within 28 days.

10

15

The superior effect of a combination of targeting of L19 scFv-tTF to the endothelium and functional interference with the VEGF/VEGF receptor system over separate modes of intervention is clearly shown.

5

10

Description of the figures

Fig. 1 shows the superior effect of combination of interference with VEGF/VEGF receptor system by means of a specific tyrosine kinase inhibitor and with the Angiopoietin/Tie2 receptor system by means of a soluble receptor domain on inhibition of tumor growth (treatment modes of groups 1-4 are given in Table 1).

The abbreviations have the following meaning:

mock, con.	=	treatment group 1
mock+VEGF-A	=	treatment group 2
sTIE2-cl13	=	treatment group 3
sTIE2-cl13+VEGF-A	=	treatment group 4

Fig. 2 shows the superior effect on tumor growth inhibition of combination of VEGF-neutralization and functional interference with Angiopoietin/Tie2 receptor system over separate modes of intervention (treatment modes of groups 1-4 are given in Table 2).

Fig. 3 shows the superior effect on tumor growth inhibition of combination of targeting of the coagulation-inducing tTF to the VEGF/VEGF receptor I complex via a scFv-tTF conjugate and functional interference with Angiopoietin/Tie2 receptor system over separate modes of intervention (treatment modes of groups 1-4 are given in Table 3).

Fig. 4 shows the superior effect on tumor growth inhibition of combination of targeting of the coagulation-inducing tTF to the VEGF/VEGF receptor I complex via a scFv-tTF conjugate and functional interference with VEGF/VEGF receptor system by means of the VEGF receptor tyrosine kinase inhibitor (4-Chlorophenyl)[4-(4-pyridylmethyl)-phthalazin-1-yl]ammonium hydrogen succinate over separate modes of intervention (treatment modes of groups 1-4 are given in Table 4).

Fig. 5 shows the superior effect on tumor growth inhibition of combination of targeting of the coagulation-inducing L19 scFv-tTF fusion protein to the endothelium and functional interference with Angiopoietin/Tie2 receptor system over separate modes of intervention (treatment modes of groups 1-4 are given in Table 5).

Fig. 6 shows the superior effect on tumor growth inhibition of combination of targeting of the coagulation-inducing L19 scFv-tTF fusion protein to the endothelium and functional interference with VEGF/VEGF receptor system by means of the VEGF receptor tyrosine kinase inhibitor (4-Chlorophenyl)[4-(4-pyridylmethyl)-phthalazin-1-yl]ammonium hydrogen succinate over separate modes of intervention (treatment modes of groups 1-4 are given in Table 6).

Sequence Identifier

5

<110> Schering Aktiengesellschaft

10

<120> Combinations and compositions which interfere with VEGF/ VEGF and angiopoietin/ Tie receptor function and their use II

<130> 51867AEPMLXX00-P

<140>

<141>

<160> 59

<210> 1

<211> 1835

<212> DNA

<213> Human

<400> 1

```

ttttacagtt ttccttttct tcagagttta ttttgaattt tcattttttgg ataaccaagc 60
agctcttttaa gaagaatgca cagaagagtc attctggcac ttttggatag tacataagat 120
tttctttttt ttttttaaat tttttttaat agtcacattc agctcgcttg ctcaaaccag 180
actcccatat tgggtgagca agatgagccc ataggattcc agagttaata cgtaaccgta 240
tatacaaaaca gccaaaaaac cataatggtg ccacagggat ggagcagga agggcatctc 300
taacgtgtcc tctagtctat ctctgctaaa cagaacccac gttacacatg ataactagag 360
agcacactgt gttgaaacga ggatgctgac cccaaatggc acttggcagc atgcagttta 420
aagcaaaaaga gacatccttt aataactgta taaaatccag gcagttccat taaaggggtt 480
aagaaaacca acaacaacaa aaagcgaggg actgtctgtt gtcactgtca aaaaggcact 540
tggagttaat gggaccagga ttggaggact cttagctgat acagatttca gtacgatttc 600
attaaaaggc ttgatgtta agagaggaca ctacagcggt cctgaaggga gacgtgaga 660
tggaccgctg agaagcgga cagatgaaca caaaggaatc aaatctttac aaccaaattg 720
catttaagcg acaacaaaaa aaggcaaac ccacaaacgca acctaaccac agcaaaatct 780
aagcaaaatc agacaacgaa gcagcgatgc atagctttcc tttgagagaa cgcatacctt 840
gagacgctac gtgccaacct aagttctcaa cgacagcttc acagtaggat tattgtgata 900
aaaatgactc aagcgatgca aaaagtttca tctgttccca gaatccgagg gagaactgag 960
gtgatcgtaa gagcatagcg acatcacgtg cggttttctta atgtccctgg tggcggatac 1020
gccgagtcct cggaaggaca tctggacacc actttcagcc acctccttgc aggggcgaca 1080
tccgccaaag tcatccttta ttccgagtaa taactttaat tcctttctaa catttacacg 1140
gcaaacagga atgcagtaaa cgtccacgtc cgtccacagg ctgggctgcc gttccgtttc 1200
ctccacgaac gggtacgcgc ttccatgaga aaggatattt ggcaatttta tattccacag 1260
tcaggtgggt ctgcatagc tcatttaatg ttaaaccgca tcaggggcct ctctcccgt 1320
ttctgccagg ggcttttctt gtcttctcct tggcgagctc gtgggcagat cttctctggg 1380
gggggctggc tgctggctcc gagggggcat ccgcagtcgc tctggctcgc tectcctgca 1440
ggctgggcag ctggccacca cttctccgac tcgacccctc caacaagcat cgcagggcac 1500
tgtcctcggg ggtacagacc gtggctccac attcgctacc actctgttcc acgtcatcca 1560
ggtacacgag ctgctgttag gccgtgctgt ctggggctcg aggcctcttc tgctggtgct 1620
cttggacggg cgggtagtgc tgctgcagag acaaaagcat tccccttccc ttccgggctg 1680
atcttggttc attcatatct acgccagagt ccaaactggc atcattactt ccgttccttc 1740
cagctctttg gagaatcaat gtatgaatgt ctaacctgac cgttggacct gccatccaag 1800
gagaagaacc acgcccgggg gtgcggaagc ggcct

```

<210> 2

<211> 581

<212> DNA

<213> Human

<400> 2

5 gttctagatt gttttattca gtaattagct ctttaagaccc ctggggccctg tgctaccag 60
 acactaacia cagtctctat ccagttgctg gttctgggtg acgtgatctc cccatcatga 120
 tcaacttact tccgtgggcc cattagggaa gtgggtgacct cgggagctat ttgcctgttg 180
 agtgcacaca cctggaaaaca tactgtctctc attttttcat ccacatcagt gagaaatgag 240
 tggcccgtta gcaagatata actatgcaat catgcaacaa agctgcctaa taacatttca 300
 10 tttattacag gactaaaagt tcattattgt ttgtaaagga tgaattcata acctctgcag 360
 agttatagtt catacacagt tgatttccat ttataaaggc agaaagtcc tgttttctct 420
 aaatgtcaag ctttgactga aaactcccg ttttccagtc actggagtgt gtgcgtatga 480
 aagaaaatct ttagcaatta gatgggagag aagggaata gtacttgaaa tgtaggcct 540
 cacctcccca tgacatctc catgagcctc ctgatgtagt g

15 <210> 3
 <211> 516
 <212> DNA
 <213> Human

<400> 3

20 tagagatggt ggttgatgac ccccgggatc tggagcagat gaatgaagag tctctggaag 60
 tcagcccaga catgtgcac tacatcacag aggacatgct catgtcgagg aacctgaatg 120
 25 gacactctgg gttgattgtg aaagaaattg ggtcttccac ctcgagctct tcagaaacag 180
 ttgttaagct togtggccag agtactgatt ctcttccaca gactatatgt cggaaaccaa 240
 agacctccac tgatcgacac agcttgagcc tcgatgacat cagactttac cagaaagact 300
 tcctgcgcac tgcaggtctg tgtcaggaca ctgctcagag ttacaccttt ggatgtggcc 360
 atgaactgga tgaggaaagg ctctattgca acagtgtctt ggcccagcag tgcataca 420
 30 tccaagatgc ttttccagtc aaaagaacca gcaataactt ttctctggat ctcaactcatg 480
 atgaagtccc agagtttgtt gtgtaaagtc cgtctg

35 <210> 4
 <211> 1099
 <212> DNA
 <213> Human

<400> 4

40 cccacaacac aggggcccctg aaacacgcca gctctctctc tgtggtcagc ttggcccagt 60
 cctgctcact ggatcacagc ccattgtagg tggggcatgg tggggatcag ggcccctggc 120
 ccacggggag gtagaagaag acctggtccg tgtaagggtc tgagaagggt ccctgggtcg 180
 ggggtgctgc ttggccttgc cgtgccctca tcccccggt gaggcagcga cacagcaggt 240
 gcaccaactc cagcagggtta agcaccagg agatgagtc aaccaccaac atgaagatga 300
 45 tgaagatggt cttctccgtg gggcgagaga caaagcagtc cagcaggtag gggcagggtg 360
 ctgctggca cacaacacg ggctccatgg tccagccgta caggcgccac tggccataga 420
 ggaagcctgc ctctagcaca ctcttgacaga gcacactggc gacatagggt ccctatcagt 480
 ctccgcggat gcgcaggcga ccatcttctg ccaccgagat cttggccatc tgacgctcta 540
 cgcccgccag cgcccgtctc acctgtgggt ccttggccgg cagtgcctgc agctccctct 600
 50 ccttctgccc cagccgtctc tctcgccgag acaggtaaat gacatggccc aggttagacca 660
 ggggtgggtgt gctgacgaag aggaactgca gcaccagta gcgatgtgg gagatgggga 720
 aggcctggtc atagcagacg ttgggtgcagc ctggctgggc cgtgttacac tcgaaatctg 780
 actgctcgtc accccacact gactcgccgg ccaggcccag gatgaggatg cggaagatga 840
 agagcaccgt cagccagatc ttaccacca cggtcgagtg ctccctggacc tgggtccagca 900
 55 acttctccac gaagccccag tcacctatgg ctcccgggcc tccgtcgcca aggagacaga 960
 gcacgtcagt gtgtcagcat ggcattcttc tegtccgccc agcaacaagc ctgcaggag 1020
 gtctgccacg cccgttctac cgctgcctg ccggggcgcc cagggtggagg tggggacgat 1080
 ggcgggagtg acgcccgcg

60 <210> 5
 <211> 1015
 <212> DNA
 <213> Human

<400> 5

65 gaggataggg agcctggggg caggagtgtg ggagacacag cgagactctg tctccaaaaa 60

5 aaaaagtgct ttttgaaaat gttgaggttg aaatgatggg aaccaacatt ctttggattt 120
 agtggggagc ataatagcaa acacccccc tgggtcgcaca tgtacaggaa tgggacccag 180
 ttggggcaca gccatggact tccccgcctt ggaatgtgtg gtgcaaagtg gggccagggc 240
 ccagacccaa gaggagaggg tgggtccgcag acaccccggg atgtcagcat ccccccagct 300
 gccttctggc ggcacctccc ggggtcgtgtg ttgagtcagc aggcattggg tgagagcctg 360
 gtatatgctg ggaacagggg gcaggggcca agcgttctct cttcagcctt gacttggggc 420
 atgcaccccc tctcccccaa acacaaacaa gcacttctcc agtatggtgc caggacaggt 480
 gtcccttcag tctcttggtt atgacctcaa gtccctactt ggccctgcag cccagcctgt 540
 10 gttgtaacct ctgcgtcctc aagaccacac ctggaagatt cttcttccct ttgaaggaga 600
 atcatcattg ttgctttatc acttctaaga cattttgtac ggcacggaca agttaaacag 660
 aatgtgcttc cctccctggg gtctcacacg ctcccacgag aatgccacag gggccgtgca 720
 ctgggcaggc ttctctgtag aaccccaggg gcttcggccc agaccacagc gtcttgccct 780
 gagcctagag cagggaggtc cgaacttctg cattcacaga ccacctccac aattgttata 840
 15 accaaaggcc tctgtttctg ttatttctact taaatcaaca tgctattttg ttttctactca 900
 cttctgactt tagcctcgtg ctgagccgtg tatccatgca gtcattgtca cgtgctagtt 960
 acgtttttct tcttacacat gaaaaataat gcataagtggt tagaagaaaa aaaaa

<210> 6
 <211> 2313
 <212> DNA
 <213> Human

<400> 6

25 ccagagcagg cctgggtggg agcagggagc gtgcaccgga cggcgggagc gagcaaatgg 60
 gtctggccat ggagcacgga gggctctacg ctccggcggg gggcagctct cggggctgct 120
 ggtattacct gcgctacttc tctctcttcg tctccctcat ccaattcctc atcatcctgg 180
 ggctcgtgct cttcatggtc tatggcaacg tgcacgtgag cacagagtcc aacctgcagg 240
 30 ccaccgagcg ccgagccgag ggcctataca gtcagctcct agggctcacg gcctcccagt 300
 ccaacttgac caaggagctc aacttcacca ccgcgcgcaa ggatgccatc atgcagatgt 360
 ggctgaatgc tcgcccgcag ctggaccgca tcaatgccag cttccgcccag tgccagggtg 420
 accgggtcat ctacacgaac aatcagaggt acatggctgc catcatcttg agtgagaagc 480
 aatgcagaga tcaattcaag gacatgaaca agagctgcga tgccttgctc ttcattgctga 540
 35 atcagaaggt gaagacgctg gaggtggaga tagccaagga gaagaccatt tgcactaagg 600
 ataaggaaag cgtgctgctg aacaaacgag tggcggagga acagctgggt gaatgcgtga 660
 aaacccggga gctgcagcac caagagcgcc actggccaag gagcaactgc aaaagggtgca 720
 agccctctgc ctgcccctgg acaaggacaa gtttgagatg gaccttctga acctgtggag 780
 ggactccatt atcccacgca gcctggacaa cctgggttac aacctctacc atccccggg 840
 40 ctcggaattg gctccatcc gcagagcctg cgaaccatg cccagcctca tgagctccaa 900
 ggtggaggag ctggcccgga gcctccgggc ggatatcgaa cgcgtggccc gcgagaactc 960
 agacctccaa cgccagaagc tggaaagcca gcagggcctg cgggcccagt aggagcgaa 1020
 acagaagggt gagaaggagg ctgagcctcg ggaggccaag ctccaagctg aatgctcccg 1080
 cgagacccag ctagcgctgg aggagaaggc ggtgctgcgg aaggaacgag acaacctggc 1140
 45 caaggagctg gaagagaaga agagggaagg gtagcagctc aggatggagc tggccatcag 1200
 aaactcagcc ctggacacct gcatcaagac caagtcgag ccgatgatgc cagtgtcaag 1260
 gcccatgggc cctgtcccca acccccagcc catcgaccca gctagcctgg aggagttcaa 1320
 gaggaagatc ctggagtccc agaggccccc tgcaggcatc cctgtagccc catccagtgg 1380
 ctgaggaggc tccaggcctg aggaaccaag gatggcccga ctcggcgggt tgccggaggat 1440
 50 gcagggatat gctcacagcg cccgacacaa cccctcccg cegcccccaa ccaccaggg 1500
 ccaccatcag acaactccct gcatgcaaac ccctagtacc ctctcacacc cgcaccccg 1560
 cctcacgac cctcaccag agcacacggc cgcgagatg acgtcacgca agcaacggcg 1620
 ctgacgtcac atatcacgt ggtgatggcg tcacgtggcc atgtagacgt cacgaagaga 1680
 tatagcgatg gcgtcgtgca gatgcagcac gtgcacaca gacatgggga acttggcatg 1740
 55 acgtcacacc gagatgcagc aacgacgtca cgggccatgt cgacgtcaca catattaatg 1800
 tcacacagac gcggcgatgg catcacacag acggtgatga tgtcacacac agacacagt 1860
 acaacacaca ccatgacaac gacacctata gatatggcac caacatcaca tgcacgcatg 1920
 ccctttcaca cacactttct acccaattct cacctagtgt caggttcccc cgaccctggc 1980
 acacgggcca aggtacccac aggatcccat cccctccgc acagccctgg gccccagcac 2040
 60 ctccccctct ccagcttctt ggcctcccag ccacttctc acccccagtg cctggaccgg 2100
 gagggtgaaa caggaagcca ttcacctcgg ctctttagc gtgagtgttt ccaggacccc 2160
 ctcggggccc tgagccgggg gtgagggtca cctgttgtcg ggaggggagc cactccttct 2220
 cccccaactc ccagccctgc ctgtggcccg ttgaaatgtt ggtggcactt aataaatatt 2280
 agtaaatcct taaaaaaaaa aaaaaaaaaa aaa

<210> 7
 <211> 389

<212> DNA
<213> Human

<400> 7

5

gccaaaaaga tggcttcaaa agtaagaatg aaacatttga tccattcagc tttaggctat 60
gccactggat tcatgtctag aaaagatagg ataatttctg taaagaaatg aagaccttgc 120
tatttctaaaa tcagatcctt acagatccag atttcaggaa acaaatacat aggggactaa 180
ctttccttgt tcagattagt ttttctcctt tgcacccagc tatataatat gaggaagtat 240
10 tgacttttta aaagtgtttt agttttccat ttctttgata tgaaaagtaa tatttcggga 300
gaacctgag ctattaataa tctatgtggc tagtgcgat atatttgtct gaatttgttc 360
tccttttgtg gtgtccagtg ggtaacatc

<210> 8
<211> 157
<212> DNA
<213> Human

<400> 8

20

tgcttttaaac agctgtgtca aaaactgaca tcagagagta aattgaattt ggttttgtag 60
gaagcaggaa gcaagccac tcaaactgta aatttggcat gagggatcca gtaactttct 120
cctcaatctg tgaactatat gtgagtttga tattttg

<210> 9
<211> 561
<212> DNA
<213> Human

<400> 9

30

aatagtcaaa acataaaca aagctaatta actggcactg ttgtcacctg agactaagt 60
gatgtttgtg gctgacatac aggctcagcc agcagagaaa gaattctgaa ttccccttgc 120
tgaactgaac tattctgtta catatggttg acaaactctgt gtgttatttc ttttctacct 180
35 accatattta aatttatgag tatcaaccga ggacatagtc aaaccttcga tgatgaacat 240
tcctgatttt ttgcctgatt aatctctgtt gagctctact tgtggtcatt caagatttta 300
tgatgttgaa aggaaaagtg aatatgacct ttaaaaaattg tattttgggt gatgatagtc 360
tcaccactat aaaactgtca attattgcct aatgttaaag atatccatca ttgtgattaa 420
ttaaacctat aatgagtatt cttaatggag aattcttaat ggatggatta tcccctgac 480
40 ttttctttta aatttctctg cacacacagg acttctcatt ttccaataaa tgggtgtact 540
ctgcccacat ttctaggaaa a

<210> 10
<211> 1508
<212> DNA
<213> Human

<400> 10

45

50

cacaaacacg agagactcca cggctctgcct gagcacccgc agcctcctag gctccagcac 60
tcgcaggtec attcttctgc acgagcctct ctgtccagat ccataagcac ggtcagctca 120
gggtcgcgga gcagtacgag gacaagtacc agcagcagct cctctgaaca gagactgcta 180
ggatcatcct tctctccgg gcctgttgcct gatggcataa tccgggtgca acccaaactc 240
55 gagctcaagc caggtgagct taagccactg agcaaggaa atttgggcct gcacgcctac 300
agggtgtgagg actgtggcaa gtgcaaatgt aaggagtga cctaccacag gcctctgcca 360
tcagactgga tctgcgacaa gcagtgcctt tgctcggccc agaactgat tgactatggg 420
acttgtgtat gctgtgtgaa aggtctcttc tatcactgtt ctaatgatga tgaggacaac 480
tgtgtctgaca acccatgttc ttgcagccag tctcactgtt gtacacgat gtcagccatg 540
ggtgtcatgt cctctttttt gccttgttta tgggtgttacc ttccagccaa gggttgcctt 600
60 aaattgtgcc aggggtgtta tgaccggggt aacaggcctg gttgccgctg taaaaactca 660
aacacagttt gctgcaaagt tcccactgtc ccccttagga actttgaaaa accaacatag 720
catcattaat caggaatatt acagtaatga ggattttttt tttctttttt taatacacat 780
atgcaaccaa ctaaacagtt ataactcttg cactgttaat agaaagttag gatagtcttt 840
gctgtttgag gtgaaatgct ttttgtccat gtgccgtttt aactgatatg cttgttagaa 900
65 ctgagctaag gagctcaaa gtatgagata cagaacttgg tgacccatgt attgcataag 960
ctaaagcaac acagacactc ctaggcaaa tttttgtttg tgaatagtag ttgcaaaact 1020

tgtaaattag cagatgactt ttttccattg ttttctccag agagaatgtg ctatatTTTT 1080
 gtatatataa taatatTTTgc aactgtgaaa aacaagtggg gccatactac atggcacaga 1140
 cacaaaatat tatactaata tgttgtacat tcggaagaat gtgaatcaat cagtatgttt 1200
 5 ttagattgta ttttgcctta cagaaagcct ttattgtaag actctgattt ccccttggac 1260
 ttcatgtata ttgtacagtt acagtaaaat tcaaccttta ttttctaatt ttttcaacat 1320
 attgttttagt gtaaagaata tttatttgaa gttttattat tttataaaaa agaattttta 1380
 ttttaagagg catcttataa attttgcccc ttttatgagg atgtgatagt tgctgcaaat 1440
 gaggggttac agatgcataat gtccaatata aaatagaaaa tatattaacg tttgaaatta 1500
 aaaaaaaa

<210> 11
 <211> 389
 <212> DNA
 <213> Human

<400> 11

20 gggcagggtga tcagggcaca catttcccggt ccattgagac agtagcattc ccggcaccca 60
 tcgtgccagc tctcttcatt tttatgatga tgaccatcca cggtagagaca agtgcccagc 120
 aggatgggtg gccagctga agcacaggcc gctctgcact tgcagataag acagccgtga 180
 ctgtcctgct ggaaacccaa ggggcagatc ttactgcatg agagctctgg acattttctta 240
 cagcgacaga tgteacagcc gtgcttattc ttcagcaatc caagtggaca atacttgtca 300
 cagattatgg gtctgcactt cttgggacctt gggcggcact cacagatctc acagttttgg 360
 acctcgggccg cgaccacgct ggggtaccga

<210> 12
 <211> 981
 <212> DNA
 <213> Human

<400> 12

35 tttttttttt ttggattgca aaaatttatt aaaattggag acactgtttt aatctttcttg 60
 tgccatgaga ctccatcagg cagtctacaa agaccactgg gaggtgagg atcacttgag 120
 cccagaagtt tgaggctgta gtaagcttca aaggccactg cactctagct tgggtgaggc 180
 aagacccttt caagcagtaa gctgcatgct tgcttggtgt ggctattaaa aaccctagtt 240
 taggataaca acatattaat cagggcaaaa tacaaatgtg tgatgcttgt tagtagagta 300
 acctcagaat caaaatggaa cggttttaca gtgatatcat tatatttcat ttggcagaat 360
 40 cattacatca ttggttacac tgaaaatcat cacatgtacc aaaagctgac tcacctagtt 420
 taggataaca ggtctgcctg tttgaagatg aaaaataata cccattttaa atttgcccta 480
 ctcaattttc ttctcagtea catttttaact tttaaacagc taatcactcc catctacaga 540
 ttaaggtgta tatgccacca aaaccttttg ccaccttaaa aatttccttc aaagtttaaa 600
 ctaatgcctg catttcttca atcatgaatt ctgagtcctt tgcttcttta aaacttgctc 660
 45 cacacagtgt agtcaagccg actctccata cccaagcaag tcatccatgg ataaaaactg 720
 taccaggagc agaaccatta agctgggtcca ggcaagttag actccaccat ttcaacttcc 780
 agctttctgt ctaatgcctg tgtgccaatg gcttgagtta ggcttgctct tta'ggacttc 840
 agtagctatt ctcatccttc cttggggaca caactgtcca taaggtgcta tccagagcca 900
 cactgcatct gcacccagca ccatacctca caggagtoga ctcccacgag ccgcctgtat 960
 ataagagttc ttttgatgac g

<210> 13
 <211> 401
 <212> DNA
 <213> Human

<400> 13

60 ataactacag cttcagcaga caactaaaga gactgcatta aggtgatttc tctggctata 60
 aagagagccc ggccgcagag catgtgactg ctgggacctc tgggataggc aacactgccc 120
 tctctccccc agagcgaccc cccgggcagg tcggggccca aggaatgacc cagcaactgc 180
 tccctaccca gcacactctc tttactgcca cctgcaatta tgctgtgaag atgactgggt 240
 gtggctcatca cgattcagag aaatcaagat ctatgacat tttaggcaaa gagagaaact 300
 tggagaattg ctgaggacta ctgaaccttg ttttgctttt ttaaaaaata ctaaatcctc 360
 acttcagcat atttagttgt cattaaaatt aagctgatat t

<210> 14

<211> 1002
 <212> DNA
 <213> Human

5 <400> 14

10 gacaatataa aaagtggaaa caagcataaa ttgcagacat aaaataatct tctggtagaa 60
 acagttgtgg agaacagggt gagtagagca acaacaacaa aagcttatgc agtcaccttc 120
 tttgaaaatg ttaaatacaa gtccctattct ctttgtccag ctgggttttag cttagaggtag 180
 ccaattactt ctcttaaggt ccatggcatt cgccaggatt ctataaaagc caagttaact 240
 gaagtaaaata tctggggccc atcgcacccc cactaagtac tttgtcacca tgttgatatct 300
 taaaagtcat ttttcactgt ttgactcaga atttgggact tcagagtcaa acttcattgc 360
 ttactccaaa cccagttttaa ttccccactt ttttaagtag gcttagcttt gagtgatttt 420
 tggctataac cgaaatgtaa atccaccttc aaacaacaaa gtttgacaag actgaaatgt 480
 15 tactgaaaac aatgggtgcc tatgctccaa agacatttcc ccaagataac tgccaaagag 540
 tttttgagga ggacaatgat catttattat gtaggagcct tgatatctct gcaaaataga 600
 attaatcacg ctcaaatgga gtagtaacca agcttttctg ccaggaagt aacaaacatc 660
 actacgaaca tgagagtaca agaggaaact ttcataatgc attttttcat tcatacattc 720
 attcaataaa cattagccaa gctaattgtc caagccactg tgccaggtag taacaatata 780
 20 acaacaataa aagacacagt ccttcctctc aagggtgtca gtctagtagg gaagatgatt 840
 attcattaaa atttttgggt catcagaatc atgaggagct tgtcaaaaat gtaaatctct 900
 gcctatgttc tcagatattc tggttaggtc aggagtggga acccaaaatc aattctttta 960
 acaaacacta aagggtgattc taacacaggc ggtgtgagga cc

25 <210> 15
 <211> 280
 <212> DNA
 <213> Human

30 <400> 15

35 cgagggtgggc caccocgtgtc tggctctgaga tttttaaatg aggattacat tctcctatct 60
 ataataattcc tattctaatc tattgtattc ttacaattaa atgtatcaaa taattcttaa 120
 aaacattatt agaaacaaac tgctaatac cttataagac taaaaaaatc accaagatga 180
 aactgtatta tgactctcaa tatttaacaa tttaaaaaaa tgttagtggt tgtaagcac 240
 caatcttaac tttttcacct gcccgggcgg ccgctcgagg

40 <210> 16
 <211> 2041
 <212> DNA
 <213> Human

<400> 16

45 cccccgcag aactcccccc tggaatagga tttttaaaac ccttgacaat tagaaatcct 60
 atagaggtta gcatttttta ggtaaaaata tgggtgcccc tacagggatc atgcaacttc 120
 cttaaaacca attcagcaca tatgtataaa gaaccctttt taaaaacatt tgtacttgaa 180
 atacagacac agtgaatgctg aagacactaa acaaaaactg aaaagtacta taccttgata 240
 aattttggtta ttgccttctt tagagacttt ataactctta gttgattttc aaggacttga 300
 50 atttaataat ggggtaatta cacaagacgt aaaggatttt ttaaaaaaca gtattttttt 360
 ttacctctag catcaattct tttataaaga atgctaaata aattacattt tttgttcagt 420
 aaaactgaag atagaccatt taaatgcttc taccaaattt aacgcagctt aattagggac 480
 caggtagcata ttttcttctg aacatttttg gtcaagcatg tctaaccata aaagcaaatg 540
 gaatttttaag aggtagattt tttttccatg atgcattttg ttaataaatg tgtcaagaaa 600
 55 ataaaaacaa gcactgagtg tgttctcttg aagtataagg gtctaataaa aaataaaaga 660
 tagatatattg ttatagtctg acatttttaac agtcatagta ttagacgttt cgtgaccagt 720
 gcatttttga ctctctcagg atcaaaaatac gagtctgcca actgtattaa atcctcctcc 780
 accccctcca ccagttgggt cacagcttcc tgggtgggtcg ttgtcatcaa atccattggg 840
 ccgaaatgaa catgaagcag atgcagcttg gagggcccg gctcgagcat tcaactcttg 900
 60 ttctctgtaaa tatagtttat tgtcttttgt tatagcatcc ataagttctt tctgtagagg 960
 tgggtctcca tttatccaga gtccactgggt tgggttatta ccacttaaac cattagtact 1020
 atgctgtttt ttatacaaaa gcacataaagc tgtgtccttt ggaacctgc tcgtaatttt 1080
 ctggactgac tgaaatgaag taaatgtcac tctactgtca ttaaaaaaaa acccattctt 1140
 ttgacatttc ctatttttcc aaatcctgtt caaaaactgc actgggacta tctctcccta 1200
 65 gtaaatgact ctgggaggat gctaattgcc gagcctcaga ctggtggtac atctgatatg 1260
 aagagtctgt acttgtgata tttctggcat aagaatagta atgcccactt tcagaggata 1320

taccagagtg aaccacaacg gaacttaata gatagggcac caatthttgtg caggaagcctt 1380
 catcagtcctc tgaaggcttt aatthttttag caaggttctc actaagatca gtgaagtcaa 1440
 catctacaga ccaactttct gacaatgaag agaaaagaag aattcttcta actggcaact 1500
 ccaaaaccag tggccagtga tacattgtct aaaatthttcc ttctcacatg atactttctga 1560
 5 tcatatgaaa atctcaggag agtaagaata aggtattcag gttcctccgt gatttgcata 1620
 gttttctcag cattttgcag agaggcacag ttttcacaat aatattgggtt atcaccagta 1680
 agaatctctg gagcccaaaa aataatthtag taagtcaagt actgaagggtg tggtttcacc 1740
 tcccggtttc tgaggtacat ctttattaac aagaatcttg ttagattcgt tagggacaga 1800
 agtgttttca gaacagtaaa actcattagg aggactgcct atgggtttttt cattcacaag 1860
 10 tgagtcacag atgaaggcag ctggtgttggt attataaact actggctctt ctgaaggacc 1920
 gggtagacag gcttgcatga gaccaccatc ttgtatactg ggtgatgatg ctggatcttg 1980
 gacagacatg ttttccaaag aagaggaagc acaaaacgca agcgaagat ctgtaaaggc 2040
 t

<210> 17
 <211> 235
 <212> DNA
 <213> Human

<400> 17

cgccccgggc aggtgtcagg ggttccaaac cagcctgggg aaacacagcg tagacccctc 60
 acctctacaa ataaaaaatt aaaaaattag ccaggtgtgg cagcgaacaa ctgtagcttc 120
 agatactcag gagactgagc tggaaaggat cacttgagcc caagaagttc aagggttacag 180
 25 tgggccacga tcatgtcatt acactccagc ttgggtgaca aaatgagact gtcta

<210> 18
 <211> 2732
 <212> DNA
 <213> Human

<400> 18

gtgtggagtt tcagctgcta ttgactataa gagctatgga acagaaaaag cttgctggct 60
 35 tcatgttgat aactacttta tatggagctt cattggacct gttaccttca ttattctgct 120
 aaatattatc ttcttggtga tcacattgtg caaatgggtg aagcattcaa acactttgaa 180
 accagattct agcaggttggt aaaacattaa gtcttggttg cttggcgctt tcgctcttct 240
 gtgtcttctt ggctcacct ggctcttttg gttgctttt attaatgagg agactattgt 300
 gatggcatat ctcttcacta tatttaattgc tttccaggga gtgttcattt tcatctttca 360
 40 ctgtgctctc caaaagaaag tacgaaaaga atatggcaag tgcttcagac actcatactg 420
 ctgtggaggc ctcccaactg agagtcccca cagttcagtg aaggcatcaa ccaccagaac 480
 cagtgctcgc tattcctctg gcacacagag tcgtataaga agaattgtgga atgatactgt 540
 gagaaaacaa tcagaatctt cttttatctc aggtgacatc aatagcactt caacacttaa 600
 tcaaggttgc ataaatctta atatatatt acaggactga catcacatg tctgagagcc 660
 45 catcttcaag atttatatca ttttagaggac attcactgaa caatgccagg gatacaagt 720
 ccattggatac tctaccgcta aatggtaatt ttaacaacag ctactcgtg caaagggtg 780
 actataatga cagcgtgcaa gttgtggact gtggactaag tctgaatgat actgcttttg 840
 agaaaatgat catttcagaa ttagtgacac acaacttacg ggcagcagc aagactcaca 900
 acctcgagct cagctacca gtcaaacctg tgattggagg tagcagcagt gaagatgatg 960
 50 ctattgtggc agatgcttca tctttaatgc acagcgacaa ccagggtctg gagctccatc 1020
 acaaagaact cgaggcacca cttattcctc agcggactca ctcccttctg taccaacccc 1080
 agaagaaagt gaagtccgag ggaactgaca gctatgtctc ccaactgaca gcagaggctg 1140
 aagatcacct acagtccccc aacagagact ctctttatac aagcatgccc aatcttagag 1200
 actctcccta tccggagagc agccctgaca tggagaaga cctctctccc tccaggagga 1260
 55 gtgagaatga ggacatttac tataaaagca tgccaaatct tggagctggc catcagcttc 1320
 agatgtgcta ccagatcagc aggggcaata gctatggtta tataatcccc attaacaaag 1380
 aagggtgtat tccagaagga gatgttagag aaggacaaat gcagctggtt acaagtcttt 1440
 aatcatacag ctaaggaatt ccaagggccat catgagagta ttaataaata aagacaccat 1500
 tggcctgacg cagctccctc aaactctgct tgaagagatg actcttgacc tgtggttctc 1560
 60 tgggtgtaaaa aagatgactg aacottgcag ttctgtgaat ttttataaaa catacaaaaa 1620
 ctttgtatat acacagagta tactaaagtg aattattttg tacaaaagaa agagatgcca 1680
 gccaggattt ttaagattct gctgctgttt agagaaattg tgaacaagc aaaacaaaac 1740
 tttccagcca ttttactgca gcagtctgtg aactaaattt gtaaatatgg ctgcaccatt 1800
 tttgtaggcc tgcattgtat tatatacaag acgtaggctt taaaatcctg tgggacaaat 1860
 65 ttactgtacc ttactattcc tgacaagact tggaaaagca ggagagatat tctgcatcag 1920
 tttgcagttc actgcaaatc ttttacatta aggcaaatg tgaaaacatg cttaaccact 1980

agcaatcaag ccacaggcct tatttcatat gtttccctcaa ctgtacaatg aactatttctc 2040
 atgaaaaatg gctaaagaaa ttatatatttgg ttctatttggct agggtaaaat aaatacattt 2100
 gtgtccaact gaaatataat tgtcattaaa ataatttttaa agagtgaaga aaatattgtg 2160
 aaaagctctt ggttgacacat gttatgaaat gttttttctt acactttgtc atggtaagtt 2220
 ctactcattt tcacttcttt tccactgtat acagtgttct gctttgacaa agttagtctt 2280
 tattactttac atttaaattt cttattgcca aaagaacgtg ttttatgggg agaaacaaac 2340
 tctttgaagc cagttatgtc atgccttgca caaagtgat gaaatctaga aaagattgtg 2400
 tgtcacccct gtttatttctt gaacagaggg caaagagggc actgggcact tctcacaac 2460
 tttctagtga acaaaagggtg cctattcttt tttaaaaaaa taaaataaaa cataaatatt 2520
 actcttccat attccttctg cctatatatta gtaattaatt tattttatga taaagttcta 2580
 atgaaatgta aattgtttca gcaaaattct gctttttttt catccctttg tgtaaacctg 2640
 ttaataatga gcccatcact aatatccagt gtaaagttta acacggtttg acagtaaata 2700
 aatgtgaatt ttttcaagtt aaaaaaaaaa aa

<210> 19
 <211> 276
 <212> DNA
 <213> Human

<400> 19

ctccctaaat gatttttaaaa taaattggat aaacatatga tataaagtgg gtactttaga 60
 aaccgccttt gcatattttt tatgtacaaa tctttgtata caattccgat gttccttata 120
 tattccctat atagcaaac aaaccaggga cctcccaact gcatgcctca agtccctgtg 180
 gagcactctg gcaactggat ggccctactt gctttctgac aaaatagctg gaaaggagga 240
 gggaccaatt aaatacctcg gccgcgacca cgctgg

<210> 20
 <211> 2361
 <212> DNA
 <213> Human

<400> 20

attgtaccag ccttgatgaa cgtgggcctt gcttcgcttt tgagggccat aagctcattg 60
 cccactgggt tagaggetac cttatcattg tctcccgtga ccggaaggtt tctcccaagt 120
 cagagtttac cagcagggat tcacagagct ccgacaagca gattctaaac atctatgacc 180
 tgtgcaacaa gttcatagcc tatagcaccg tctttgagga tgtagtggat gtgcttgctg 240
 agtggggctc cctgtacgtg ctgacgcggg atgggcgggt ccacgcactg caggagaagg 300
 acacacagac caaactggag atgctgttta agaagaacct atttgagatg gcgattaacc 360
 ttgccaagag ccagcatctg gacagtgtat ggctggccca gattttcatg cagtatggag 420
 accatctcta cagcaagggc aaccacgatg gggctgtcca gcaatataat cgaaccattg 480
 gaaagttgga gccatcctac gtgatccgca agtttctgga tgcccagcgc attcacaacc 540
 tgactgccta cctgcagacc ctgcaccgac aatccctggc caatgccgac cataccacc 600
 tgtctctcaa cctgtatacc aagctcaagg acagctcgaa gctggaggag ttcatcaaga 660
 aaaagagtga gagtgaagtc cactttgatg tggagacagc catcaaggct ctcgggcagg 720
 ctggctacta ctcccatgcc ctgtatctgg cggagaacca tgcacatcat gagtgggtacc 780
 tgaagatcca gctagaagac attaagaatt atcagggaagc ccttcgatac atcggcaagc 840
 tgcccttttg gcaggcagag agcaacatga agcgtacgg caagatcctc atgcaccaca 900
 taccagagca gacaactcag ttgctgaagg gactttgtac tgattatcgg ccagcctcg 960
 aaggccgcag cgatagggag gccccaggct gcagggccaa ctctgaggag ttcatcccca 1020
 tctttgccaa taaccgcga gagctgaaag ccttcctaga gcacatgagt gaagtgcagc 1080
 cagactcacc ccaggggatc tacgacacac tccttgagct gcgactgcag aactggggccc 1140
 acgagaagga tccacaggtc aaagagaagg ttcacgcaga ggccatttcc ctgctgaaga 1200
 tgggtcgctt ctgacagctc tttgacaagg ccttggtcct gtgccagatg cagcaattcc 1260
 aggatggtgt cctttacctt tatgagcagg ggaagctgtt ccagcagatc atgactacc 1320
 acatgcagca cgagcagtac cggcagggtc tcagcgtgtg tgagcgccat ggggagcagg 1380
 accctctctt gtgggagcag gccctcagct acttcgctcg caaggaggag gactgcaagg 1440
 agtatgtggc agctgtcctc aagcatatcg agaacaagaa cctcatgcc cctcttctag 1500
 tgggtgcagac cctggcccac aactccacag ccacactctc cgtcatcagg gactacctgg 1560
 tccaaaaact acagaaacag agccagcaga ttgcacagga tgagctgcgg gtgcggcggt 1620
 accgagagga gaccaccctg atccgcccag agatccaaga gctcaaggcc agtcctaaga 1680
 ttttccaaaa gaccaagtgc agcatctgta acagtgcctt ggagttgccc tcagtccact 1740
 tctgtgtggc ccactccttc caccaacact gctttgagag ttactcggaa agtgatgctg 1800
 actgcccac ctgctccctt gaaaaccgga aggtcatgga tatgatccgg gccagggaac 1860
 agaaacgaga tctccatgat caattccagc atcagctcaa gtgctccaat gacagctttt 1920

ctgtgattgc tgactacttt ggcagaggtg ttttcaacaa attgactctg ctgaccgacc 1980
 ctcccacagc cagactgacc tccagcctgg aggctgggct gcaacgcgac ctactcatgc 2040
 actccaggag gggcacttaa gcagcctgga ggaagatgtg ggcaacagtg gaggaccaag 2100
 agaacagaca caatgggacc tgggcgggcg ttacacagaa ggctggctga catgccagc 2160
 5 gctccactct catctaattgt cacagccctc acaagactaa agcggaactt tttcttttcc 2220
 ctggccttcc ttaatttttaa gtcaagcttg gcaatccctt cctcttttaac taggcaggtg 2280
 ttagaatcat ttccagatta atggggggga aggggaacct caggcaaaccc tcctgaagtt 2340
 ttggaaaaaa aagctggttt c

10 <210> 21
 <211> 179
 <212> DNA
 <213> Human

15 <400> 21

aggtgttaga tgctcttgaa aaagaaactg catctaagct gtcagaaatg gattctttta 60
 acaatcaact aaaggaactg agagaaacct acaacacaca gcagttagcc cttgaacagc 120
 tttataagat caacgtgaca agttgaagga aattgaaagg aaaaaattag aactaatgc

20 <210> 22
 <211> 905
 <212> DNA
 <213> Human

25 <400> 22

tttttttttt ttctttaacc gtgtggtctt tatttcagtg ccagtgttac agatacaaca 60
 caaatgttcc agttagaagg aattcaaacg gaatgccaag gtccaagcca ggctcaagaa 120
 30 ataaaaaggg aggtttggag taatagataa gatgactcca atactcactc ttccctaggg 180
 caaagggtact tttgatacag agtctgatct ttgaaactgg tgaactcctc ttccacccat 240
 taccatagtt caaacaggca agttatgggc ttaggagcac tttaaaattt gtgggtgggaa 300
 taggggtcatt aataactatg aatatacttt ttagaagggt accatttttg acttttaaagg 360
 gaatcaattt tgaaaatcat ggagactatt catgactaca gctaaagaat ggcgagaaa 420
 35 gggagctgga agagccttgg aagtttctat tacaatataga gcaccatata cttcatgcca 480
 aatctcaaca aaagctcttt ttaactccat ctgtccagtg tttacaaata aactcgcaag 540
 gtctgaccag ttcttggtaa caaacatata tgtgtgtgtc tgtgtgtata cagcaatgca 600
 cagaaaaggc taccaggagc ctaatgcctc tttcaaacat tgggggaacc agtagaaaa 660
 ggcagggctc cctaagtctc attattacat ttccattccg aatgccagat gttaaaagt 720
 40 cctgaagatg gtaaccagc tagtgaggaa taaatacccc accttgccca gtccacagag 780
 aaacaacagt agaaagaagg ggcaactctt tgctgcagag acaaagtgag tgttttttcg 840
 ccattggattg cagtcctctc ctccagacca gctgcttatt tcctcagggg cccagggaat 900
 gttga

45 <210> 23
 <211> 2134
 <212> DNA
 <213> Human

50 <400> 23

ggtctcttct ttcttttttt tttttccaaa agtgttcttt tatttctagt aacatatatt 60
 gtataaatac tctattttat atgcacttcc acaaaagcga tataatttaa aagttttttt 120
 cattagaaat aaatgtataa aaataaatat gttattatag gcatttatta ctaactatag 180
 55 tccttcttgg aaggaacacc caaaccaata cttataaagt acatgtaatt tatagtaaca 240
 tattttacta tatacatatg gaaaaaatca tattctcaca gaagagctga acagacattc 300
 accaggatac gactgttgga ccagctgctg gagatggacc tgctaccctc cagcagcctc 360
 cccaccacaa gacaagtgat ctcaatgtcc ccaaacctgt gggaccctgt tctacacacc 420
 tcatttttgt tccggcgttt catctcctct gtgtgattgt actgattttc atgagacaca 480
 60 agttacttct ttacatccat attcccaaag cagggttaca tggtaggaaa gaaaggaagt 540
 tggagggtact aagctcattg tgtctcctct agcttttacc agcatctaatt gcttcactgc 600
 tttttttcca ttgtagactt taatgcactt gaataaatac atggagttgt tttttcctca 660
 aaatgaatta cacaaataaa gactgagatg gtccaaaaaa ggaaagagga agccatttgc 720
 gttatttcac gttgctgagc ctttctctca tgttgaacaa tctgaagttt taattctcgg 780
 65 tagaaataat gtataaacat tctctgaaac catagcagcc ataaacagtg ctggtcaaa 840
 atcctatttg tactcctttc tccccccatt gttagtggag taaagtaaaa caggtcttag 900

taaaatctca cttttctcct acttttccatt tcccaacccc catgatacta agtatttgat 960
 aagtaccagg aaacaggggt tgtaatatgt ctaacttttt ttgacaattg ctttggtttt 1020
 tctaaacttg taatagatgt aacaaaagaa ataataataa taatgcccgg ggctttatta 1080
 5 tgctatatca ctgctcagag gttaataatc ctactaact atcctatcaa atttgcaact 1140
 ggcagtttac tctgatgatt caactccttt tctatctacc cccataatcc cacttactg 1200
 atacacctca ctggttactg gcaagatacg ctggatccct ccagccttct tgctttccct 1260
 gcaccagccc ttctctcactt tgccttgccc tcaaagctaa caccacttaa accacttaac 1320
 tgcattctgc cattgtgcaa aagtctatga aatgttttagg tttcttttaa ggatcacagc 1380
 10 tctcatgaga taacaccocct ccatcatggg acagacactt caagcttctt tttttgtaac 1440
 ccttcccaca ggtcttagaa catgatgacc actccccag ctgccactgg gggcagggat 1500
 ggtctgcaca aggtctgggt ctggctggct tcaactcctt tgcacactcg gaagcaggct 1560
 gtccattaat gtctoggcgt tctaccagtc ttctctgcca acccaattca catgacttag 1620
 aacattcgcc ccactcttca atgacccatg ctgaaaaagt ggggatagca ttgaaagatt 1680
 ccttcttctt ctttacgaag taggtgtatt taatttttagg tccaagggca ttgccacag 1740
 15 taagaacctg gatggtcaag ggctctttga gagggctaaa gctgcgaatt ctttccaatg 1800
 ccgcagagga gccgctgtac ctcaagacaa cacctttgta cataatgtct tgctctaagg 1860
 tggacaaagt gtagtcacca ttaagaatat atgtgccatc agcagctttg atggcaagaa 1920
 agctgccatt gttcctggat cccctctggg tccgctggtt cacttcgatg ttggtggctc 1980
 20 cagttggaat tgtgatgata tcatgatatc caggttttgc actagtaact gatcctgata 2040
 tttttttaca agtagatcca tttccccgc aaacaccaca tttatcaaac ttctttttg 2100
 agtctatgat gcgatcaca ccagctttta caca

<210> 24
 <211> 1626
 25 <212> DNA
 <213> Human

<400> 24

30 ggacaatttc tagaatctat agtagtatca ggatatattt tgctttaaaa tatattttgg 60
 ttattttgaa tacagacatt ggctccaaat tttcatcttt gcacaatagt atgacttttc 120
 actagaactt ctcaacattt gggaactttg caaatatgag catcatatgt gttaaggctg 180
 tatcatttaa tgctatgaga tacattgttt tctccctatg ccaaacaggt gaacaaacgt 240
 agttgttttt tactgatact aaatgtttgg tactctgtat tttatagtag gcacatgtca 300
 35 gaaaaaggca agacaaatgg cctcttgtag tgaatacttc ggcaaaactta ttgggtcttc 360
 attttctgac agacaggatt tgactcaata tttgtagagc ttgcgtagaa tggattacat 420
 ggtagtgtat cactggtaga aatgggtttt agttattgac tcagaattca tctcaggatg 480
 aatcttttat gtctttttat tgtaagcata tctgaattta ctttataaag atggtttttag 540
 aaagctttgt ctaaaaatth ggccctaggaa tggttaacttc attttcagtt gccaaagggg 600
 40 agaaaaataa tatgtgtgtt gttatgttta tgtaacata ttattaggta ctatctatga 660
 atgtatttaa atatttttca tattctgtga caagcattta taatttgcaa caagtggagt 720
 ccatttagcc cagtgggaaa gtcttggaac tcaggttacc cttgaaggat atgctggcag 780
 coactctctt gatctgtgct taaactgtaa tttatagacc agctaaatcc ctaacttgga 840
 45 tctggaatgc attagttatg ccttgtagca ttcccagaat ttcaggggca tctggtggtt 900
 ggtctagtga ttgaaaacac aagaacagag agatccagct gaaaaagagt gatcctcaat 960
 atcctaacta actggtcctc aactcaagca gagtttcttc actctggcac tgtgatcatg 1020
 aaacttagta gaggggattg tgtgtatttt atacaaattt aatacaatgt cttacattga 1080
 taaaattctt aaagagcaaa actgcatttt atttctgcat ccacattcca atcatattag 1140
 50 aactaagata tttatctatg aagatataaa tgggtgcagag agactttcat ctgtggattg 1200
 cgttgtttct tagggttcct agcactgatg cctgcacaag catgtgatat gtgaaataaa 1260
 atggattctt ctatagctaa atgagttccc tctggggaga gttctggtag tgcaatcaca 1320
 atgccagatg gtgtttatgg gctattttgt taagtaagtg gtaagatgct atgaagtaag 1380
 tgtgtttgtt ttcactctat ggaaactctt gatgcatgtg cttttgtatg gaataaattt 1440
 55 tgggtgcaata tgatgtcatt caactttgca ttgaattgaa ttttggttgt atttatatgt 1500
 attataacct tcacgcttct agttgcttca accattttat aaccattttt gtacatatat 1560
 tacttgaaaa tatttttaaat ggaaatttaa ataaacattt gatagttttac ataataaaaa 1620
 aaaaaa

<210> 25
 60 <211> 1420
 <212> DNA
 <213> Human

<400> 25

gttcagcatt gtttctgctt ctgaaatctg tatagtacac tggtttgtaa tcattatgtc 60

ttcatgaaa tccttgctac ttctcttcct cctcaatgaa agacacgaga gacaagagcg 120
 acacaagctt aagaaaaaacg agcaaggaag agtatcttca ttattctcat tttctctgag 180
 ttggaaacaa aaacatgaag gactccaact agaagacaga tatttacatt taaatagatt 240
 agtgggaaaaa ctttaagagt ttccacatat tagttttcat tttttgagtc aagagactgc 300
 5 tccttgtagt gggagacact agtagtatat gtttgtaatg ttactttaaa attatctttt 360
 tttttataaa ggcccataaa tactgggttaa actctgttaa aagtgggcct tctatcttgg 420
 atggtttcac tgccatcagc catgctgata tattagaaat ggcattcccta tctacttact 480
 ttaatgctta aaattataca taaaatgctt tatttagaaa acctacatga tacagtgggtg 540
 tcagccttgc catgtatcag ttccacttga aatttgagac caattaaatt tcaactgttt 600
 10 aggtgggaga aagaggtact ggaaaacatg cagatgagga tatcttttat gtgcaacagt 660
 atccttttga tgggaggaga gttactcttg aaaggcaggc agcttaagtg gacaatgttt 720
 tgtatatagt tgagaatttt acgacacttt taaaaattgt gtaattgtta aatgtccagt 780
 tttgctctgt tttgcctgaa gtttttagtat ttgttttcta ggtggacctc tgaaaacca 840
 accagtacct ggggagggtta gatgtgtgtt tcaggttgg agtgtatgag tggttttgtc 900
 15 tgtattttcc tccagagatt ttgaacttta ataattgcgt gtgtgttttt ttttttttaa 960
 gtggccttgt ttttttttct caagtataat tgtgaacata tttcctttat aggggcaggg 1020
 catgagttag ggagactgaa gagtattgta gactgtacat gtgccttctt aatgtgtttc 1080
 tcgacacatt ttttttcagt aacttgaaaa ttcaaaaggg acatttggtt aggttactgt 1140
 20 acatcaatct atgcataaat ggcagcttgt tttcttgagc cactgtctaa attttgtttt 1200
 tatagaaatt ttttatactg attggttcac agatggtcag ttttgtacac agactgaaca 1260
 atacagcact ttgccaataa tgagtgtagc attgttttaa cattgtgtgt taacacctgt 1320
 tctttgtaat tgggttgtgg tgcattttgc actacctgga gttacagttt tcaatctgtc 1380
 agtaataaaa gtgtccttta acttcaaaaa aaaaaaaaaa

<210> 26
 <211> 689
 <212> DNA
 <213> Human

<400> 26

aaacaaacaa aaaaaaagtt agtactgtat atgtaaatac tagcttttca atgtgtctata 60
 caaacaatta tagcacatcc ttctttttac tctgtctcac ctccttttagg tgagtacttc 120
 35 cttaaataag tgctaaacat acatatacgg aacttgaaag ctttggttag ccttgcctta 180
 ggtaatcagc ctagttttaca ctgtttccag ggagtagttg aattactata aaccattagc 240
 cacttgtctc tgcaccattt atcacaccag gacaggggtc ctcaacctgg gcgctactgt 300
 catttggggc caggtgattc ttcttgcaa gggtgtcct gtacctgccc gggcgggcgc 360
 tcgaagcgtg gtgcggcg aggtactgaa aggaccaagg agctctggct gccctcagga 420
 40 attccaaatg accgaaggaa caaagcttca gggctctggg tgggtgtctc cactattcag 480
 gaggtggtcg gaggtaacgc agcttcattt cgtccagtc tttccagtat ttaaagttgt 540
 tgtcaagatg ctgcattaaa tcaggcaggt ctacaaaggc atcccaagca tcaaactatg 600
 ctgtgatgaa gtaatcaatg aaacaccgga acctccgacc acctcctgaa tagtgggaga 660
 cacaccaga gcctgaagtt tgtccttcg

<210> 27
 <211> 471
 <212> DNA
 <213> Human

<400> 27

tcccagcggc atgaagtttg agattggcca ggccctgtac ctgggcttca tctccttcgt 60
 cctctcgcct catttggtggc accctgcttt gcctgtcctg ccaggacgag gcacctaca 120
 55 agccctaacc caggccccgc ccagggccac cagcaccact gcaaacaccg cacctgccta 180
 ccagccacca gctgcctaca aagacaatcg ggccccctca gtgacctcgg ccaccacagc 240
 gggtagcaggc tgaacgacta cgtgtgagtc cccacagcct gtttctcccc tgggctgctg 300
 tgggctggtt cccggcgagg ctgtcaatgg aggcaggggt tccagcacia agtttacttc 360
 tgggcaattt ttgtatocaa ggaaataatg tgaatgagag gaaatgtctt tagagcacag 420
 60 ggacagaggg ggaaataaga ggaggagaaa gctctctata ccaaagactg a

<210> 28
 <211> 929
 <212> DNA
 <213> Human

<400> 28

ggtgaactca gtgcattggg ccaatgggtc gacacaggct ctgccagcca caaccatcct 60
 gctgcttctg acgggtttggc tgctgggtgg ctttcccttc actgtcattg gaggcattct 120
 tgggaagaac aacgccagcc cctttgatgc accctgtcgc accaagaaca tcgcccggga 180
 5 gattccaccc cagccctggt acaagtctac tgtcatccac atgactgttg gaggttccct 240
 gcctttcagt gccatctctg tggagctgta ctacatcttt gccacagtat ggggtcggga 300
 gcagtaacct ttgtacggca tcctcttctt tgtcttcgcc atcctgctga gtgtgggggc 360
 ttgcatctcc attgcaactca cctacttcca gttgtctggg gaggattacc gctgggtggg 420
 10 gcgatctgtg ctgagtgttg gctccaccgg cctcttcata ttctctact cagttttcta 480
 ttatgcccgg cgctccaaca tgtctggggc agtacagaca gtagagtctt tcggctactc 540
 cttactcact gggttatgtct tcttctcat gctgggcacc atctcctttt tttcttccct 600
 aaagttcatc cggatatatc atgttaacct caagatggac tgagtctgt atggcagaac 660
 tattgctgtt ctctcccttt cttcatgccc tgttgaactc tcctaccagc ttctcttctg 720
 15 attgactgaa ttgtgtgatg gcattgttgc cttccctttt tccctttggg cattccttcc 780
 ccagagaggg cctggaaatt ataaatctct atcacataag gattatatat ttgaactttt 840
 taagttgcct ttagtttttg tcctgatttt tctttttaca attacacaaa taaaatttat 900
 taagaaaaag aaaaaaaaaa aaaaaaaaaa

<210> 29
 <211> 1775
 <212> DNA
 <213> Human

<400> 29

gaacgtgatg ggaacttttg gaggatgtct gagaaaatgt ccgaagggat tttggccaac 60
 accagaaaaac gccaatgtcc taggaattcc ctcccaaaat gcttcccaaa aaattactca 120
 ttgacaattc aaattgcact tggctggcgg cagcccgggc ggccttcagt cgtgtggggg 180
 cgccgcgctg gccttctcct cgtaggactc cccaaactcg ttcactctgc gtttatccac 240
 30 aggataaagc caccgctggt acaggtagac cagaaacacc acgtcgtccc ggaagcaggc 300
 cagccggtga gacgtgggca tgggtgatgat gaaggcaaaag acgtcatcaa tgaaggtgtt 360
 gaaagccttg taggtgaagg ccttccaggg cagatgtgcc actgacttca acttgtagt 420
 cacaagaagc tggggcagca tgaagaggaa accaaaggca tagaccccg tgaagagct 480
 gttgattaac caggagtacc agctcttata tttgatattc aggagtgaat agacagcacc 540
 35 ccgacacag agagggtaca gcaggtatga caagtaactc atggcctgag tatcgtactc 600
 ctcggttttc ctctcagatt cgctgtaagt gccaaactga aattcgggca tcaggcctct 660
 ccaaaaaata gtcattctca atgccttctt cactttccac agctcaatgg cggctccaac 720
 acccgccggg accagcacca gcaggctcgt ctgctcgtcc agcaggaaca gaaagatgac 780
 40 cacggtgctg aagcagcgcc agagcactgc cttgggtggac atgccgatca tgccttctt 840
 cttcttccag aaactgatgt cattttttaa ggccaggaaa tcaaagagaa gatggaacgc 900
 tgcgacaaag aaggtcagcg ccaggaagta taagttggta tctacaaaaa ttcttttcac 960
 ctcatcagca tctttctctg aaaaccggaa ctgctgcagg gactacacgg cgtcctgcat 1020
 gtggatccag aagcgcagcc gccccagtga gacctgtcgt taggacacgg tgaggggag 1080
 45 ctoggtgggt gagcgggtta tgaccatcag gtccttcacg cggttgctga gctggctgat 1140
 gaacaggatg ggcaggtaat gcacggtttt ccccagctgg atcatcttca tgtaccgatg 1200
 cacatcgcca ggcagggaag acccgtcaaa gacaaagtgt tccgccatca cgttccagcg 1260
 cagccgcggt cgccagtggg acaactggctc atccagggca ctcgctcggt tcttctccgc 1320
 ctgatctgc tgtgtatcag actccccggg gagcagggtt atttcttctg gcttggggac 1380
 catgtagggt gtcagaggac tgaccagggt cacctgcttc ccgtcgtgcc acggcaggac 1440
 50 ccagcgtga tggaggaaga tgtaggcata cagcgtocca ttgtttctcg ttttcttttg 1500
 tacagaaaca ttaactgtcc tttcaaattt ggactccaca tcaaagtctt ccacattcaa 1560
 gaccaggctg atgtgtttct cagcaccag gtgggacctc gtcgtgggtg acacgctcag 1620
 ctgcagcttg ggcgcgcgg ccaggtaggg ctggatgcag ttggcgtcgc cggagcacgg 1680
 55 gcgggtgtag acgatgccgt acatgaccca gcagggtgtg accacgtaga ccacgaacac 1740
 gccaccacc aagctggtga aggagctgcg gcccc

<210> 30
 <211> 1546
 <212> DNA
 <213> Human

<400> 30

aaaataagta ggaatgggca gtgggtattc acattcacta cactttttcc atttgctaat 60
 aaggcoctgc caggctggga ggggaattgt cctgcctgct tctggagaaa gaagatattg 120

5 acaccatcta cgggcacccat ggaactgctt caagtgaacca ttctttttct tctgcccagt 180
 atttgcagca gtaacagcac aggtgttttta gaggcagcta ataattcact tgttgttact 240
 acaacaaaaac catctataac aacaccaaacc acagaatcat tacagaaaaa tgttgtcaca 300
 ccaacaactg gaacaactcc taaaggaaca atcaccaatg aattacttaa aatgtctctg 360
 atgtcaacag ctactttttt aacaagtaaa gatgaaggat tgaaagccac aaccactgat 420
 gtcaggaaga atgactccat catttcaaac gtaacagtaa caagtgttac acttccaaat 480
 gctgtttcaa cattacaaaag ttccaaaacc aagactgaaa ctacaggttc aattaaaaaca 540
 acagaaatac caggtagtgt tctacaacca gatgcacac cttctaaaaac tggtagatta 600
 10 acctcaatac cagttacaat tccagaaaac acctcacagt ctcaagtaat aggcactgag 660
 ggtggaaaaa atgcaagcac ttccagcaacc agccggctct attccagtat tattttgccc 720
 gtggttattg ctttgattgt aataacactt tcagtatttg ttctggtggg tttgtaccga 780
 atgtgctgga aggcagatcc gggcacacca gaaaatggaa atgatcaacc tcagtctgat 840
 aaagagagcg tgaagcttct taccgcttaag acaatttctc atgagtctgg tgagcactct 900
 gcacaaggaa aaaccaagaa ctgacagctt gaggaattct ctccacacct aggcataaat 960
 15 tacgcttaat cttcagcttc tatgcaccaa gcggtgaaaa ggagaaagtc ctgcagaatc 1020
 aatcccgact tccataacct ctgctggact gtaccagacg tctgtcccag taaagtgatg 1080
 tccagctgac atgcaataat ttgatggaat caaaaagaac cccggggctc tctgttctc 1140
 tcacatttaa aaattccatt actccattta caggagcgtt cctaggaaaa ggaatttttag 1200
 20 gaggagaatt tgtgagcagt gaatctgaca gccaggagg tgggctcgct gataggcatg 1260
 actttcctta atgttttaa gtttccgggc caagaatttt tatccatgaa gactttccta 1320
 cttttctcgg tgttcttata ttacctactg ttagtattta ttgtttacca ctatgttaat 1380
 gcagggaaaa gttgcacgtg tattattaaa tattaggtag aaatcatacc atgtactttt 1440
 gtacatataa gtatttttatt cctgctttcg tgttactttt aataaataac tactgtactc 1500
 aatactctaa aaatactata acatgactgt gaaaatggca aaaaaa

<210> 31
 <211> 750
 <212> DNA
 <213> Human

<400> 31

35 cacttgggca cccccatttt ctaaaaaaat ggaaatctgg agggcaaaaa aggtgtgctg 60
 aagggaagtg cctctgatgg cccaaaaacc ttcttccaaa ctagtgtagg aatggaatgg 120
 atagcaaatg gatccttttt ggccctcctt ggagcatgcc ttccctatct tatecttggc 180
 cccactaaag cagaacgtta cggatatttc tgtttttgcc attggatgcc tatctggcca 240
 aacagccttt ccctaattgg aaaatgcagt cctgtttaaa acctttgatt tacgactact 300
 tgtacatgct tgctcattac aattttgaca ttttttacat agtgaagacc ccaaacatat 360
 40 cagtgaaca tgacaagatc ataaagaaca gtatcatatt attatttagt cgcttttaca 420
 gtggcaagcc aattttgaaa tatctcattt aaaactcaga cccaattcac tgagttatac 480
 ttttaatagc ttccctagca cactatttcc catgcattaa atatgataaa ataactctatc 540
 actgccatc ggtcttgtaa aaaggagtc tgaatacaga gccacaaca ctaaaattgt 600
 ttttctagct acaaagtata gcatcatcaa cacagacacg atttggaact cctgacaggt 660
 45 ggattggaaa acggtgttta aagagaagag aacattttta cataaatgtc attaagaatc 720
 ccaaaggcct tatttgtcac caccgtcccg

<210> 32
 <211> 1620
 <212> DNA
 <213> Human

<400> 32

55 gcaattcccc cctccacta aacgactccc agtaattatg tttacaaccc attggatgca 60
 gtgcagccat tcataagaac cttggtgccc cagaaaaatc tgtccttttt ggtaccaaac 120
 ctgaggtctt ttggaagata atgtagaaaa ccactaccta ttgaaggcct gttttggcta 180
 atctgtgcaa actctgatga tacctgcctt atgtggattc ttttccacac tgctttcatt 240
 ttttaagtata aagacttaga aaactagaat aatgctttta caaataatta aaagtatgtg 300
 60 atgttctggy ttttttcctt ctttttagaa ccccgccctc atttaaaaaa ttaaaaaaaa 360
 aaaaaaaact ttttaacattt aaaaaataaa aattaacaaa atttcaacta ttccaggaca 420
 cgctggcatt tggactcaat gaaaagggca cctaagaaaa ataaggctga ctgaatgttt 480
 tccataattt tcacacaata acagtccctt tctatccagc ttgccttoca tttatctcta 540
 ggggttagctt ttcaggcaac atccttggtc attgccaga aagtacctga gctatcagtg 600
 attggaatgg cacaggaaac cgaatcacat ggggtgccct cccttggttt tcaagtatct 660
 65 tggagttgtg cacaaaaatt aggtcatgcc ttcagtgctt tgttctttaa acctaccctt 720
 tgacaatcag gtgctaataa ttgtatacta ttaaaaccag cacataagta ttgtaaatgt 780

gtgttcctcc taggttgga gaaatgtctt tccttctatc tgggtcctgt taaagcgggt. 840
 gtcagttgtg tcttttcacc tcgatttgtg aattaataga attgggggga gaggaaatga 900
 tgatgtcaat taagtttcag gtttgccatg atcatcattc tcgatgatat tctcactttg 960
 5 tcgcaaatct gcccttatcg taagaacaag ttccagaatt ttccctccac tatacgactc 1020
 cagtattatg tttaacaatcc attggatgag tgcagcatta taagaccttg gtgcccagaa 1080
 aaatctgtcc tttttggtac caaacctgag gtcttttggg agataatgta gaaaaccact 1140
 acctattgaa ggccgtgttt ggctaactct tgcaaaactct gatgatacct gcttatgtgg 1200
 attcttttcc acactgcttt catttttaag tataaagact tagaaaacta gaataatgct 1260
 10 tttaacaata attaaaagta tgtgatgttc tgggtttttt ccttcttttt agaaccctgt 1320
 atttaaacaa gcccttcttt taagtcttgt ttgaaattta agtctcagat cttctggata 1380
 ccaaatcaaa aacccaacgc gtaaaacagg gcagttattg tgttcctaatt tttaaaaagc 1440
 tttatgtata ctctataaat atagatgcatt aaacaacact tccccttgag tagcacatca 1500
 acatacagca ttgtacatta caatgaaaaat gtgtaactta aggggtattat atatataaat 1560
 15 acatatatac ctttgaacc tttatactgt aaataaaaaa gttgcttttag tcaaaaaaaa 1620

<210> 33
 <211> 2968
 <212> DNA
 <213> Human

<400> 33

gaaaaagtag aaggaaacac agttcatata gaagtataag aaaaccctga agaggaggag 60
 gagggaggaag aagaggaaga agaagatgaa gaaagtgaag aggaggagga agaggaggga 120
 25 gaaagtgaag gcagtgagg tgatgaggaa gatgaaaagg tgtcagatga gaaggattca 180
 gggaagacat tagataaaaa gccaaagtaa gaaatgagct cagattctga atatgactct 240
 gatgatgatc ggactaaaga agaaagggct tatgacaaag caaaacggag gattgagaaa 300
 cggcgacttg aacatagtaa aaatgtaaac accgaaaagc taagagcccc tattatctgc 360
 30 gtacttgggc atgtggacac agggaaagaca aaaattctag ataagctccg tcacacacat 420
 gtacaagatg gtgaagcagg tggatcacca caacaaattg gggccacca tgttcctctt 480
 gaagctatta atgaacagac taagatgatt aaaaattttg atagagagaa tgtacggatt 540
 ccaggaaatgc taattattga tactcctggg catgaatctt tcagtaatct gagaaataga 600
 ggaagctctc tttgtgacat tgccatttta tttgttgata ttatgcatgg tttggagccc 660
 35 cagacaattg agtctatcaa ccttctcaaa tctaaaaaat gtcccttcat tgttgcaact 720
 aataagattg ataggttata tgattggaaa aagagtcctg actctgatgt ggctgctact 780
 ttaaagaagc agaaaaagaa tacaaaagat gaatttgagg agcgagcaaa ggctattatt 840
 gtagaatttg cacagcaggg tttgaatgct gctttgtttt atgagaataa agatccccgc 900
 acttttgtgt ctttgggtacc tactctgca catactggtg atggcatggg aagtctgatc 960
 40 tactctcttg tagagttaac tcagaccatg ttgacaaga gacttgca caagtgaagag ctgtgaagag 1020
 ctgagagcac aggtgatgga gggttaaagct ctcccgagg ggggcaccac tatagatgtc 1080
 atcttgatca atgggcgttt gaaggaagga gatacaatca ttgttctctg agtagaaggg 1140
 cccattgtaa ctacagattcg aggcctcctg ttacctctc ctatgaagga attacgagtg 1200
 aagaaccagt atgaaaagca taaagaagta gaagcagctc agggggtaaa gattcttgga 1260
 45 aaagacctgg agaaaacatt ggctggttta cccctccttg tggcttataa agaagatgaa 1320
 atccctgttc ttaaagatga attgatctta tctgttaaagc agacactaaa tgctatcaaa 1380
 ttagaagaaa aaggagtcta tgtccaggca tctacactgg gttcttttga agctctactg 1440
 gaatttctga aaacatcaga agtgccctat gcaggaatta acattggccc agtgcataaa 1500
 aaagatgtta tgaaggcttc agtgatgttg gaacatgacc ctacgtatgc agtaattttg 1560
 50 gccttcgatg tgagaattga acgagatgca caagaaatgg ctgatagttt aggagttaga 1620
 attttttagt cagaaattat ttatcattta tttgatgcct ttacaaaata tagacaagac 1680
 tacaagaaac agaaacaaga agaatttaag cacatagcag tatttccctg caagataaaa 1740
 atctccctc agtacatttt taattctcga gatccgatag tgatgggggt gacggtggaa 1800
 gcaggtcagg tgaacaggg gacacccatg tgtgtcccaa gcaaaaattt tgttgacatc 1860
 55 ggaatagtaa caagtattga aataaacctat aaacaagtgg atgttgcaaa aaaaggacaa 1920
 gaagtttgtg taaaaataga acctatccct ggtgagtcac ccaaaatgtt tggaagacat 1980
 tttgaagtct cagatattct tgttagtaag atcagccggc agtccattga tgcactcaaa 2040
 gactggttca gagatgaaat gcagaagagt gactggcagc ttattgttga gctgaagaaa 2100
 gtatttgaaa tcatctaatt ttttcacatg gagcaggaac tggagtaaat gcaatactgt 2160
 60 gttgtaatat cccaacaaaa atcagacaaa aaatggaaca gacgtatttg gacactgatg 2220
 gacttaagta ttgaaggaag aaaaaatagg gtataaaatg ttttccatga gaaaccaaga 2280
 aacttacact ggtttgacag tggtcagtta catgtcccca cagttccaat gtgcctgttc 2340
 actcacctct cccctcccca acccttctct catgtggctgc tgttttaaaag tttgccttcc 2400
 cccaaatttg gattttttatt acagatctaa agctctttctg attttatact gattaaatca 2460
 65 gtactgcagt atttgattaa aaaaaaaaaa gcagattttg tgattcttgg gacttttttg 2520
 acgtaagaaa tacttcttta tttatgcata ttcttcccac agtgattttt ccagcattct 2580
 tctgccatat gccttttaggg cttttataaa atagaaaatt aggcattctg atatttcttt 2640

agctgctttg tgtgaaacca tgggtgtaaaa gcacagctgg ctgcttttta ctgcttgtgt. 2700
 agtcacgagt ccattgtaat catcacaatt ctaaaccaaa ctaccaataa agaaaacaga 2760
 catccaccag taagcaagct ctgttaggct tccatgggta gtggtagctt ctctcccaca 2820
 agttgtcctc ctaggacaag gaattatctt aacaaactaa actatccatc acactacctt 2880
 ggtatgccag cacctgggta acagtaggag attttatata ttaatctgat ctgtttaatc 2940
 tgatcgggtt agtagagatt ttatacat

<210> 34
 <211> 6011
 <212> DNA
 <213> Human

<400> 34

acggggcgcc ggacgacccg cacatcttat cctccacgcc ccaactcgac tcggagcggg 60
 accgccccgg actccccctc gggcgggcca ctcgaggagt gaggagagag gccgcccggc 120
 cggcttgagc cgagcgcagc acccccgcgc ccccgcgcca gaagtttggg tgaaccgggc 180
 tgccgggaga aacttttttc ttttttcccc ctctcccggg agagtctctg gaggaggagg 240
 ggaactcccc cgccccaaag ctctgtgggt cggggtcgcg cgcccgaga aggggcccggg 300
 tccgcccgcg aggggaggcg cccccgggga cccgagaggg gggtagggac cgcgggctgc 360
 tgggtgcggc gcggcagcgt gtgcccgcg caggggaggc gccgcccgc tcccggcccg 420
 gctgcgagga ggaggcggcg gcggcgcagg aggatgtact tgggtggcggg ggacaggggg 480
 ttggccggct gcgggcacct cctggtctcg ctgctggggc tgctgctgct gccggcgcgc 540
 tccggcaccc gggcgctggt ctgcctgccc tgtgacgagt ccaagtgcga ggagcccagg 600
 aaccgcccgg ggagcatcgt gcagggcgtc tgccgctgct gctacacgtg cgcagccag 660
 gggaaacgaga gctgcggcgg caccttcggg atttacggaa cctgcgaccg ggggctgcgt 720
 tgtgtcatcc gcccccgct caatggcgac tccctaccg agtacgaagc gggcgtttgc 780
 gaagatgaga actggactga tgaccaactg cttggtttta aaccatgcaa tgaaaacctt 840
 attgctggct gcaatataat caatgggaaa tgtgaatgta acaccattcg aacctgcagc 900
 aatccctttg agtttccaag tcaggatatg tgcctttcag ctttaaagag aattgaagaa 960
 gagaagccag attgctcaa ggcccgtgt gaagtccagt tctctccacg ttgtcctgaa 1020
 gattctgttc cgtgcggcgg ttatgctcct cctggggagt gctgtccctt accagccgc 1080
 tgctgtgca accccgcagg ctgtctgcgc aaagtctgcc agccgggaaa cctgaacata 1140
 ctagtgtcaa aagcctcagg gaagccggga gactgtgaa tgccctactg ttcagcagac cgcgtgtccc 1260
 gttttcggcg tggactgcag gactgtggaa actgcagatg gttgctgtac tttgccaaca 1320
 ccggacagct atgaaactca agtcagacta ttcccctgtg gtgaggtggg atccactccc 1380
 agatgcgagt gtcctctggt cttatgtggg tgggacacct ggaaagtgtc attatgatgg agacatgttt 1500
 cgcatagtct ctctgtggca ctgtgcacgt caagggggcg ttgccatctg ctccaccgcc 1560
 aatgatacaa agccagcctg cgtatttaac aatgtggaat attatgatgg agacatgttt 1500
 cgaatggaca actgtcgggt ctgtcgatgc caagggggcg ttgccatctg ctccaccgcc 1560
 cagtgtgggt agataaactg cgagaggtac tacgtgcccg aaggagagtg ctgcccagtg 1620
 tgtgaagatc cagtgtatcc ttttaataat cccgctgggt gctatgcaa tggcctgatc 1680
 cttgccacag cagaccgggt gcgggaagac gactgcacat tctgccagtg cgtcaacggg 1740
 gaacgccact gcgttgcgac cgtctgcgga gacacctgca caaacctgt gaaagtgcct 1800
 ggggagtggt gccctgtgtg cgaagaacca accatcatca cagttgatcc acctgcattg 1860
 ggggagttat caaactgcac tctgacacgg aaggactgca ttaatggttt caaacgcgat 1920
 cacaatggtt gtcggacctg tcagtgcata aacacccagg aactatgttc agaacgtaaa 1980
 caaggctgca ccttgaactg tcccttcggg ttccctactg atgcccataa ctgtgagatc 2040
 tgtgagtgcc gcccaaggcc caagaagtgc agacccataa tctgtgacaa gtattgtcca 2100
 cttggattgc tgaagaataa gcacggctgt gacatctgtc gctgtaagaa atgtccagag 2160
 ctctcatgca gtaagatctg ccccttgggt ttccagcagg acagtcacgg ctgtcttata 2220
 tgcaagtgca gagaggcctc tgcttcagct gggccaccca tcctgtcggg cacttgtctc 2280
 accgtggatg gtcacatca taaaaatgag gagagctggc acgatgggtg ccgggaatgc 2340
 tactgtctca atggacggga aatgtgtgct ctgatcacct gcccggtgcc tgccctgtgc 2400
 aacccacca ttcacctgg acagtgtgc ccatcatgtg cagatgactt tgtggtgcag 2460
 aagccagagc tcagtactcc ctccatttgc cagcctctg gaggagaata ctttgtggaa 2520
 ggagaaacgt ggaacattga ctctgtact cagtgcacct gccacagcgg acgggtgctg 2580
 tgtgagacag aggtgtgccc accgctgtct tgccagaacc cctcacgcac ccaggattcc 2640
 tgctgcccac agtgtacaga tcaacctttt cggccttctt tgtcccga taacagcgta 2700
 cctaattact gcaaaaatga tgaaggggat atattcctg cagctgagtc ctggaagcct 2760
 gacgtttgta ccagctgcat ctgcattgat agcgttaatta gctgtttctc tgagtctgc 2820
 ccttctgtat cctgtgaaag acctgtcttg agaaaaggcc agtgtgttcc ctactgcata 2880
 aaagacacaa ttccaaagaa ggtggtgtgc cacttcagt ggaaggccta tgccgacgag 2940

gagcgggtggg accttgacag ctgcacccac tgctactgcc tgcagggcca gacctcttgc 3000
 tgcaccgtca gctgcccccc tctgccctgt gttgagccca tcaacgtgga aggaagtgtc 3060
 tgcccaatgt gtccagaaat gtatgtccca gaaccaacca atatacccat tgagaagaca 3120
 aaccatcgag gagaggttga cctggagggt cccctgtggc ccacgcctag tgaaaatgat 3180
 atcgtccatc tccctagaga tatgggtcac ctccaggtag attacagaga taacaggctg 3240
 cacccaagtg aagattcttc actggactcc attgcctcag ttgtgggtcc cataattata 3300
 tgccctctcta ttataatagc attcctattc atcaatcaga agaaacagtg gataccactg 3360
 ctttgctggt atcgaaacacc aactaagcct tcttccctaa ataatcagct agtatctgtg 3420
 gactgcaaga aaggaaccag agtccagggt gacagttccc agagaatgct aagaattgca 3480
 gaaccagatg caagattcag tggcttctac agcatgcaaa aacagaacca tctacaggca 3540
 gacaatttct accaaacagt gtgaagaaag gcaactagga tgagggttca aaagacggaa 3600
 gacgactaaa tctgctctaa aaagtaaact agaatttgtg cacttgctta gtggattgta 3660
 ttggattgtg acttgatgta cagcgctaag accttactgg gatgggctct gtctacagca 3720
 atgtgcagaa caagcattcc cacttttctc caagataact gaccaagtgt tttcttagaa 3780
 ccaaagtgtt taaagtgtct aagatatatt tgctgtgaag atagctgtag agatatttgg 3840
 ggtggggaca gtgagtgttg atggggaaag ggggtggagg gtggtgttgg gaagaaaaat 3900
 ttggtcagctt ggctcgggga gaaacctggg aacataaaaag cagttcagtg gccagaggtg 3960
 tatttttttc ctattgtctc gaagatgctc actggtgtctg caaagctcag gcttgaatga 4020
 gcaggaaaaca aaaaaggcct tgcgaccag ctgccataac caccttagaa ctaccagacg 4080
 agcacatcag aaccttttga cagccatccc aggtctaaag ccacaagtgt cttttctata 4140
 cagtcacaac tgcagtaggc agtgagggaag ccagagaaat gcgatagcgg catttctcta 4200
 aagcgggtta ttaaggatat atacagttac actttttgct gcttttattt tcttccaagc 4260
 caatcaatca gccagttctc agcagagtca gcacatgaac aagatctaag tcatttcttg 4320
 atgtgagcac tggagctttt tttttttaca acgtgacagg aagaggaggg agaggggtga 4380
 gaacaccagg catttccagg ggctatatat cactgtttgt tgttgctttg ttctgttata 4440
 ttgttggttg ttcatagttt ttgttgaagc tctagcttaa gaagaaactt tttttaaaaa 4500
 gactgtttgg ggattctttt tcttatttat atactgattc taaaaaatag aaactacttc 4560
 attttaattg tatattatc aagcaccttt gttgaagctc aaaaaaatg atgcctcttt 4620
 aaacttttagc aattatagga gtatttatgt aactatctta tgcttcaaaa aacaaaagta 4680
 tttgtgtgca tgtgtatata atatatatat atacatatat atttatacac atacaattta 4740
 tgttttcttg ttgaatgtat ttttatgaga ttttaaccag aacaaaggca gataaacagg 4800
 cattccatag cagtgccttt gatcacttac aaattttttg aataacacaa aatctcattc 4860
 tacctgcagt ttaattggaa agatgtgtgt gtgagagtat gtatgtgtgt gtgtgtgtgt 4920
 gtgtgtgocg gcgcacgcac gcccttgagca gtcagcattg cacctgctat ggagaagggt 4980
 attcctttat taaaatcttc ctcatattga tttgctttca gttggttttc aatttgctca 5040
 ctggccagag acattgatgg cagttcttat ctgcatcact aatcagctcc tggatttttt 5100
 tttttttttt tcaaacaatg gtttgaaaca actactggaa tattgtccac aataagctgg 5160
 aagtttggtg tagtatgcct caaatataac tgactgtata ctatagtgtt aacttttcaa 5220
 acagccctta gcacttttat actaattaac ccatttgtgc attgagtttt cttttaaaaa 5280
 tgcttgttgt gaaagacaca gataccaggt atgcttaacg tgaaaagaaa atgtgttctg 5340
 ttttgtaaaag gaactttcaa gtattgttgt aaatacttgg acagaggttg ctgaacttta 5400
 aaaaaaatta atttattatt ataataacac aatttattaa tctgaagatt aaccattttt 5460
 ttgtcttaga atatcaaaaa gaaaaagaaa aagggtgtct agctgtttgc atcaaaggaa 5520
 aaaaagattt attatcaagg ggcaattctt ttatcttttc caaaataaat ttgttaatga 5580
 tacattacaa aaatagattg acatcagctt gattagtata aattttgttg gtaattaatc 5640
 cattcctggc ataaaaagtc tttatcaaaa aaaattgtag atgcttgctt tttgtttttt 5700
 caatcatggc catattatga aaatactaac aggatatagg acaaggtgta aattttttta 5760
 ttattatttt aaagatatga tttatcctga gtgctgtatc tattactctt ttactttggg 5820
 tctgttgttg ctcttgtaaa agaaaaatat aatttctctga agaataaaat agatatatgg 5880
 cacttggagt gcatcatagt tctacagttt gtttttgggt tcttcaaaaa agctgtaaga 5940
 gaattatctg caacttgatt cttggcagga aataaacatt ttgagttgaa atcaaaaaaa 6000
 aaaaaaaa a

55 <210> 34a
 <211> 1036
 <212> DNA
 <213> Human

60 <400> 34a

65 mylvagdrgl agcghllvsl lgllllpars gtralvclpc deskceepn rpgsivqgvc 60
 gccytcasqg nescggtfgi ygtcdrglrc virpplngds lteyeagvce denwtddql 120
 gfkpcnenli agcniingkc ecntirtcsn pfefpsqdmc lsalkrieee kpdcskarce 180
 vqfscrped svliegypapp gecclplsrc vcnpagclrk vcqpgnlnil vskasgkpgc 240

ccdlyeckpv fgvdertvec ptvqqtacpp dsyetqvrllt adgcctlprr cecisglcglf 300
 pvcevgstpr ivsrgdgtpg kccdvfecvn dtkpacvfnn veyydgdmfr mdncrfrcrcq 360
 ggvaicftaq cgeinceryy vpegeccpvc edpvypfnnp agcyanglil ahgdrwredd 420
 5 ctfccqvngc rhcvatvcgq tctnpvkvpq eccpvceep iitvdppacg elsncctltrk 480
 dcingfkrdh ngortcqc in tgelcserkq gctlncpfgf ltdaqnceic ecrprpkkr 540
 piicdkycpl gllknkhgdc icrcckkcpel scskicplgf qgdshgcllc kcreasasag 600
 ppilsgtclt vdghhhknee shwdgcrecy clngremcal itcpvpacgn ptihpggqccp 660
 scaddfvvqk pelstpsich apggeyfveg etwnidsctq ctchsgrvlc etevcppllc 720
 qnpstqtdsc cpqctdqpfr pslsrnnsvp nyckndegdi flaaeswkpd vctscicids 780
 10 viscfesescp svscerpvlr kgqccpycik dtipkkvvch fsgkayadee rwdldscthc 840
 yclqggtlcs vtscpplpcv epinvegsc pmcpemyvpe ptnipiekt n hrgevdlevp 900
 lwptpsendi vhlprdmghl qvdyrdnrhl psedssldsi asvvvpiic lsiiiaflfi 960
 nqkkqwipll cwyrtpkps slnnqlvsd ckkgtrvqv d ssqrmrliae pdarfsgfys 1020
 15 mqkqnhlqad nfyqtv

<210> 35
 <211> 716
 <212> DNA
 <213> Human

<400> 35

25 gcagtacctg gagtgtcctg caggggggaaa gcgaaccggg ccctgaagtc cgggggcagtc 60
 acccggggct cctggggccgc tctgcccggc tggggctgag cagcgatcct gctttgtccc 120
 agaagtcacag agggatcagc cccagaacac accctcctcc ccgggacgcc gcagctttct 180
 ggaggctgag gaaggcatga agagtgggct ccacctgctg gccgactgag aaaagaattt 240
 30 ccagaactcg gtcctatatt acagattgag aaactatggg tcaagaagag aggacggggc 300
 ttgagggaat ctctgattc tctttatatg acctcaaact gaccatacta aacagtgtag 360
 aaggtctttt taaggctcta aatgtcaggg tctcccatcc cctgatgoot gactttgtaca 420
 gtcagtgtgg agtagacggg ttcctccacc caggggtgac tcagggggat gatctgggtc 480
 ccattctggg cttaagacct caaacaaggg ttttttcagc tccaggatct ggagcctcta 540
 35 tctggttagt gtcgtaacct ctgtgtgcct cccgttaacc catctgtcca gtgagctcag 600
 ccccatcca cctaacaggg tggccacagg gattactgag ggtaagacc ttagaactgg 660
 gtctagcacc cgataagagc tcaataaatg ttgttccttt ccacatcaaa aaaaaa

<210> 36
 <211> 395
 <212> DNA
 <213> Human

<400> 36

45 ccaatacttc attcttcatt ggtggagaag attgtagact tctaagcatt ttocaaataa 60
 aaaagctatg atttgatttc caacttttaa acattgcatg tcctttgcca tttactacat 120
 tctccaaaaa aaccttgaaa tgaagaaggc cacccttaaa atacttcaga ggctgaaaaa 180
 atgattatta cattggaatc ctttagccta tgtgatattt cttaactttt gcactttcac 240
 gcccagtaaa accaaagtca gggtaaccaa tgtcatttta caaaatgtta aaacccta 300
 50 tgcagttcct tttttaaat attttaaaga ttacttaaca acattagaca gtgcaaaaaa 360
 agaagcaagg aaagcattct taattctacc atcct

<210> 37
 <211> 134
 <212> DNA
 <213> Human

<400> 37

60 ccctcgagcg gccgcccggg caggtaacttt taccaccgaa ttgttcactt gactttaaga 60
 aaccataaa gctgcctggc tttcagcaac aggcctatca acaccatggg gacttccat 120
 aaggacacc gtagt

<210> 38
 <211> 644
 <212> DNA

<213> Human

<400> 38

5 aagcctgttg tcatggggga ggtggtggcg cttggtggcc actggcggcc gaggtagagg 60
 cagtggcgct tgagttgggtc gggggcagcg gcagatttga ggcttaagca acttcttccg 120
 gggaagagtg ccagtgcagc cactgtttaca attcaagatc ttgatctata tccatagatt 180
 ggaatattgg tgggccagca atcctcagac gcctcactta ggacaaatga ggaaactgag 240
 gcttggtgaa gttacgaaac ttgtccaaaa tcacacaact tgtaaagggc acagccaaga 300
 10 ttcagagcca ggctgtaaaa attaaaatga acaaattacg gcaaagtttt aggagaaaga 360
 aggatgttta tgttccagag gccagtcgtc cacatcagtg gcagacagat gaagaaggcg 420
 ttgcaccgg aaaatgtagc ttcccgggta agtaccttgg ccatgtagaa gttgatgaat 480
 caagaggaat gcacatctgt gaagatgctg taaaaagatt gaaagctgaa aggaagttct 540
 tcaaaggctt ctttggaaaa actggaaaga aagcagttta agcagtttct gtgggtctaa 600
 15 gcagatggac tcagaggttg tggatgaaaa actaaggacc tcat

<210> 39

<211> 657

<212> DNA

<213> Human

<400> 39

20 ctttttgttt gggttttcca atgtagatgt ctcagtgaaa tgtgcagata tactttgttc 60
 25 cttatatggt caccagtgtt aattatggac aaatacatta aaacaagggt tcctggccca 120
 gcctcccac taatctcttt gatactcttg gaatctaagt ctgaggagcg atttctgaat 180
 tagccagtgt tgtaccaact ttctgttagg aattgtatta gaataacctt tctttttcag 240
 acctgctcag tgagacatct tggggaatga agtaggaaaa tagacatttg gtggaaaaac 300
 agcaaaatga gaacattaaa aagactcatt caagtatgag tataaagggc atggaaattc 360
 30 tggtcctttg agcaaaatga gaagaaaaaa ttctgctcag cagtattcac tgtgttaaga 420
 ttttttgttt ttacacgaa tggaaaaatg atgtgttaagt ggtatagatt ttaatcagct 480
 aacagtcact ccagagattt tgatcagcac caattcctat agtagtaagt atttaaaagt 540
 taagaaatac tactacattt aacattataa agtagagttc tggacataac tgaaaattag 600
 35 atgtttgctt caatagaaat ttgttccac ttgtattttc aacaaaatta tcggaac

<210> 40

<211> 1328

<212> DNA

<213> Human

<400> 40

40 acaattttta aataactagc aattaatcac agcatatcag gaaaaagtac acagtgagtt 60
 45 ctggttagtt tttgtaggct cattatgggt agggctcgta agatgtatat aagaacctac 120
 ctatcatgct gtatgtatca ctcattccat ttcatgttcc catgcatact cgggcacatc 180
 gctaataatgt atccttttta gcacttcaa ggaacaaaaa gggcctttta tttttataaa 240
 ggtaaaaaaa attccccaaa tattttgcac tgaatgtacc aaagggtgaag ggacattaca 300
 atatgactaa cagcaactcc atcacttgag aagtataata gaaaatagct tctaaatcaa 360
 50 acttccctca cagtgcctgt tctaccacta caaggactgt gcattctaagt aataattttt 420
 taagattcac tatatgtgat agtatgatat gcattttattt aaaatgcatt agactctctt 480
 ccattccatca aatactttac aggatggcat ttaatacaga tatttcgtat ttccccact 540
 gctttttatt tgtacagcat cattaaacac taagctcagt taaggagcca tcagcaacac 600
 tgaagagatc agtagtaaga attccatttt cctcatcag tgaagacacc acaaattgaa 660
 actcagaact atattttctaa gcctgcattt tcaatgatgc ataattttct tagtaattat 720
 55 aagagacagt ttttctatgg catctccaaa actgcattgc atcactagtc ttacttctgc 780
 ttaattttat gagaaggat tcttccattt aattgctttt gggattactc cacatctttg 840
 tttattttct gactaatcag attttcaata gagtgaagtt aaattggggg tcataaaaagc 900
 attggattga catatgggtt gccagcctat ggggtttacag gcattgcccc aacattttctt 960
 tgagatctat atttataagc agccatggaa ttctatttat gggatgttgg caatcttaca 1020
 60 ttttatagag gtcattatga tagttttcat aggtgttttg taagaactga ttgctctcct 1080
 gtgagtttaag ctatgtttac tactggggacc ctcaagagga ataccactta tgttacactc 1140
 ctgcactaaa ggcacgtact gcagtgtgaa gaaatgttct gaaaaagggt tatagaaaac 1200
 tggaaataag aaaggaagag ctctctgtat tctataattg gaagagaaaa aaagaaaaac 1260
 65 ttttaactgg aaatgttagt tgtactttat tgatcatgaa tacaagtata tatttaattt 1320
 tgaaaaaa

<210> 41
 <211> 987
 <212> DNA
 <213> Human

5

<400> 41

10 aacagagact ggcacaggac ctcttcattg caggaagatg gtagtgtagg caggtaacat 60
 tgagctcttt tcaaaaaagg agagctcttc ttcaagataa ggaagtggta gttatggtgg 120
 taacccccgg ctatcagttc ggatggttgc caccctcctt gctgtaggat ggaagcagcc 180
 atggagtggg agggaggcgc aataagacac ccctccacag agcttggcat catgggaagc 240
 tggttctacc tcttcctggc tcctttgttt aaaggcctgg ctgggagcct tccttttggg 300
 tgtctttctc ttctccaacc aacagaaaag actgctcttc aaaggtggag ggtcttcatg 360
 aaacacagct gccaggagcc caggcacagg gctggggggc tggaaaaagg agggcacaca 420
 15 ggaggaggga ggagctggta gggagatgct ggctttacct aaggtctcga aacaaggagg 480
 gcagaatagg cagaggcctc tccgtcccag gcccatTTTT gacagatggc gggacggaaa 540
 tgcaatagac cagcctgcaa gaaagacatg tgTTTTgatg acaggcagtg tggccgggtg 600
 gaacaagcac aggccttggg atccaatgga ctgaatcaga accctaggcc tgccatctgt 660
 cagccgggtg acctgggtca attttagcct ctaaaagcct cagtctcctt atctgcaaaa 720
 20 tgaggcttgt gatacctgtt ttgaagggtt gctgagaaaa ttaaagataa gggtatccaa 780
 aatagtctac ggccatacca ccctgaacgt gcctaattct gtaagctaag cagggtcagg 840
 cctggttagt acctggatgg ggagagtatg gaaaacatac ctgcccgcag ttggagttgg 900
 actctgtctt aacagtagcg tggcacacag aaggcactca gtaaatactt gttgaataaa 960
 tgaagtagcg atttggtgtg aaaaaaa

<210> 42
 <211> 956
 <212> DNA
 <213> Human

30

<400> 42

35 cggacgggtg ggcggacgcy tgggtgcagg agcaggggcg ctgccgactg ccccaaccaa 60
 ggaaggagcc cctgagtcg cctgcgcctc catccatctg tccggccaga gccggcatcc 120
 ttgectgtct aaagccttaa ctaagactcc cgccccgggc tggccctgtg cagaccttac 180
 tcaggggatg ttacctgtgt gctcgggaag ggaggggaag gggccgggga gggggcacgg 240
 caggcgtgtg gcagccacac gcaggcggcc agggcggcca gggacccaaa gcaggatgac 300
 cagcacctc cagccactg cctcccccga atgcatttgg aaccaaagtc taaactgagc 360
 40 tcgcagcccc cgcgcctcc ctccgcctcc catoccgctt agcgctctgg acagatggac 420
 gcaggccctg tccagcccc agtgcgctcg ttccgggtccc cacagactgc cccagccaac 480
 gagattgtcg gaaaccaagt caggccagggt gggcgggaca aagggccagg tgcggcctgg 540
 ggggaacgga tgctccgagg actggactgt ttttttcaca catcgttgcc gcagcgggtg 600
 gaaggaaagg cagatgtaaa tgatgtgttg gtttacaggg tatatttttg ataccttcaa 660
 tgaattaatt cagatgtttt acgcaaggaa ggactttacc agtattactg ctgctgtgct 720
 45 tttgatctct gcttaccgtt caagaggcgt gtgcaggccg acagtcgggtg accccatcac 780
 tcgcaggacc aaggggggcg ggactgctgg ctacagcccc gctgtgtcct ccttccctc 840
 ccttcccttg gcagaatgaa ttcgatgcgt attctgtggc cgccatctgc gcagggtgg 900
 ggtattctgt catttacaca cgtcgttcta attaaaaagc gaattatact ccaaaa

50

<210> 43
 <211> 536
 <212> DNA
 <213> Human

55

<400> 43

60 aaataaacac ttocataaca ttttgttttc gaagtctatt aatgcaatcc cacttttttc 60
 cccctagttt ctaaagtgtt aagagagggg aaaaaaggct caggatagtt ttacactcac 120
 agtgtagtct gtctttttatt ttactcttgg aaatagagac tccattaggg ttttgacatt 180
 ttgggaaccc agtttttacc ttgtgtcagt aaaacaataa gatagtttga gagcatatga 240
 tctaataaaa gacatttgaa gggtttagttt gaatttctaaa agtaggtaat agccaaatag 300
 cattctcatc ccttaacaga caaaaactta tttgtcaaaa gaattagaaa aggtgaaaat 360
 attttttcca gatgaaactt gtgccacttc caattgacta atgaaatata aggagacaga 420
 ctggaaaaag tgggttatgc caccttttaa accctttctg gtaaataatta tggtagctaa 480
 65 aggggtggtt ccccggcacc tggacctgga caggtagggg tccgtgggta accagt

<210> 44
 <211> 1630
 <212> DNA
 <213> Human

5

<400> 44

10
 15
 20
 25
 30
 35

```

ggggaggggac gagtatggaa ccctgaaggt agcaagtcca ggcaactggcc tgaccatccg 60
gctccctggg caccaagtcc caggcaggag cagctgtttt ccatcccttc ccagacaagc 120
tctatTTTTa tcacaatgac ctttagagag gtctcccagg ccagctcaag gtgtcccact 180
atccctctcg gaggaagag gcaggaaaat tctccccggg tccctgtcat gctactttct 240
ccatcccagt tcagactgtc caggacatct tatctgcagc cataagagaa ttataaggca 300
gtgatttccc ttaggccag gacttgggcc tccagctcat ctgttccttc tgggccatt 360
catggcaggt tctgggctca aagctgaact ggggagagaa gagatacaga gctaccatgt 420
gactttacct gattgccctc agtttggggt tgcttattgg gaaagagaga gacaaagagt 480
tacttgttac gggaaatatg aaaagcatgg ccaggatgca tagaggagat tctagcaggg 540
gacaggattg gctcagatga cccctgaggg ctcttcagg cttgaaatgc attccatgat 600
attaggaagt cgggggtggg tgggtggtggt gggctagtgt gggttgaatt taggggccga 660
tgagcttggg tacgtgagca ggggtgtaaag ttagggtctg cctgtatttc tgggtccctt 720
ggaaatgtcc ctttcttcag tgtcagacct cagtcccagt gtccatateg tgcccagaaa 780
agtagacatt atcctgcccc atcccttccc cagtgcactc tgacctagct agtgccctgt 840
gcccagtgac ctgggggagc ctggctgcag gccctcactg gttccctaaa ccttggtggc 900
tgtgattcag gtccccaggg gggaactcagg gaggaatatg gctgagttct gtagtttcca 960
gagttggctg gttagagcct ctagaggttc agaataattag cttcaggatc agctgggggt 1020
atggaattgg ctgaggatca aacgtatgta ggtgaaagga taccaggatg ttgctaaagg 1080
tgagggacag tttgggtttg ggacttacca ggggtgatgt agatctggaa cccccaagtg 1140
aggctggagg gagttaaggt cagtatggaa gatagggttg ggacagggtg ctttggaatg 1200
aaagagtgc cttagagggc tccttgggcc tcaggaatgc tcctgctgct gtgaagatga 1260
gaagggtgct ttactcagtt aatgatgagt gactatattt accaaagccc ctacctgctg 1320
ctgggtccct ttagcacag gagactgggg ctaagggcc ctcccagggg agggacacca 1380
tcaggcctct ggctgaggca gtagcataga ggatccattt ctacctgcat ttcccagagg 1440
actagcagga ggcagccttg agaaaccggc agttcccaag ccagcgctg gctgttctct 1500
cattgtcact gccctctccc caacctctcc tctaaccac tagagattgc ctgtgtcctg 1560
cctcttgct cttgtagaat gcagctctgg ccctcaataa atgcttctcg cattcatctg 1620
caaaaaaaaaa

```

<210> 45
 <211> 169
 <212> DNA
 <213> Human

40

<400> 45

45

```

tcttttgcct ttagcttttt atttttgtat taacaggagt cttattacac ataggctctga 60
taaaactggg ttatgatctt cagtctgatt ccagtgtctg ataactagat aacgtatgaa 120
ggaaaaacga cgacgaacaa aaaagtaagt gcttgggaaga cttagttga

```

<210> 46
 <211> 769
 <212> DNA
 <213> Human

50

<400> 46

55
 60
 65

```

tgcaggatcat atttactatc ggcaataaaa ggaagcaaa cagtattaa cagcgggtgga 60
atttgtcgct ttacttttt ataaagtgtc acataaaaatg tcatatttcc aaatttaaaa 120
acataactcc agttctttacc atgagaacag catgggtgatc acgaaggatc ttcttgaaaa 180
aaacaaaaac aaaaacaaaa aacaatgatc tcttctgggt atcacatcaa atgagataca 240
aagggtgtact aggcaatctt agagatctgg caacttattt tatatataag gcatctgtga 300
ccaagagacg ttatgaatta aatgtacaaa tgtattatgt ataaatgtat taaatgcaag 360
cttcatataa tgacaccaat gtctctaagt tgetcagaga tcttgactgg ctgtggccct 420
ggccagctcc tttcctgata gtctgattct gccttcatat ataggcagct cctgatcatc 480
catgccagtg aatgagaaaa caagcatgga atatataaac tttaacatta aaaaatgttt 540
tattttgtaa taaaatcaaa tttcccattg aaaccttcaa aaactttgca gaatgaggtt 600
ttgatatatg tgtacaagta gtaccttctt agtgcaagaa aacatcatta tttctgtctg 660
cctgcctttt tgttttttaa aatgaagact atcattgaaa caagtttgtc ttcagtatca 720

```

ggacatgttg acggagagga aaggtaggaa agggttaggg atagaagcc

<210> 47
 <211> 2529
 <212> DNA
 <213> Human

<400> 47

10 ttttagttcat agtaatgtaa aaccatttgt ttaattctaa atcaaatcac tttcacaaca 60
 gtgaaaatta gtgactggtt aagggtgtgcc actgtacata tcatcatttt ctgactgggg 120
 tcaggacctg gtcctagtc acaagggtgg caggaggagg gtggagggcta agaacacaga 180
 aaacacacaa aagaaaggaa agctgccttg gcagaaggat gaggtgggtga gcttgccgag 240
 15 ggatgggtggg aagggggctc cctggttgggg ccgagccagg agtcccaagt cagctctcct 300
 gccttactta gctcctggca gaggggtgagt ggggacctac gaggttcaaa atcaaatggc 360
 atttggccag cctggcttta ctaacaggtt ccagagtgct ctctggttggc tgagctctcc 420
 tgggctcact ccatttcatt gaagagtcca aatgattcat tttcctaccc acaacttttc 480
 attattcttc tggaaaccca tttctggtga gtccatctga cttaagtcc ctctccctcc 540
 actagttggg gccactgcac tgaggggggt cccaccaatt ctctctagag aagagacact 600
 20 ccagaggccc ctgcaacttt gcggtatttc agaagtgat aaaaagagca ctcttgagt 660
 ggtgcccagg aatgtttaaa atctatcagg cacactataa agctgggtgg ttcttcttac 720
 caagtggatt cggcatatga accacctact caatacttta tattttgtct gtttaaaccac 780
 tgaactctgg tgttgacagg taaaaaggag aagagatggg gactgtgaag aggggagggc 840
 25 ttccctcatc ttctcaaga tctttgtttc cataaactat gcagtcataa ttgagaaaaa 900
 gcaatagatg gggcttccca ccatttgttg gttattgctg gggttagcca ggagcagtg 960
 ggatggcaaa gtaggagaga ggcccagagg aaagcccac tccctccagc tttgggggtct 1020
 ccagaaagag gctggatttc tgggatgaag cctagaaggc agagcaagaa ctgttccacc 1080
 aggtgaacag tcctacctgc ttggtacct agtccctcaa taagattcag aggaagaagc 1140
 ttatgaaact gaaaatcaaa tcaagggtatt gggaagaata atttcccctc gattccacag 1200
 30 gaggggaagac cacacaatat cattgtgctg gggctcccca aggccctgcc acctggcttt 1260
 acaaatcatc aggggttgcc tgcttggcag tcacatgctt ccttggtttt agcacacata 1320
 caaggagttt tcagggaact ctatcaagcc ataccaaaat cagggtcaca tgtgggtttc 1380
 ccctttccct gcctcttcat aaaagacaac ttggcttctg aggatgggtg tcttttgcac 1440
 gcagttgggc tgacctgaca aagccccagc tttctgttg caggttcttg gagaggatgc 1500
 35 attcaagctt ctgcagccta ggggacaggg ctgcttgttc agttattact gcctcggagc 1560
 tccaaatccc accaaagtcc tgactccagg tctttcctaa tgcacagtag tcagtctcag 1620
 ctctcggcagt attctcggct gtatgttctc tggcagagag aggcagatga acatagtttt 1680
 agggagaaaag ctgatgggaa acctgtgagt taagccacat gtctcaccag gaataattta 1740
 tgccaggaaa ccaggaagtc attcaagttg ttctctgagg ccaaagacac tgagcacagc 1800
 40 ccagagccaa taaaagatct ttgagtctct ggtgaattca cgaagtgacc ccagcttttag 1860
 ctactgcaat tatgattttt atgggacagc aatttcttgc atctctacag aggaagaaga 1920
 gggggagtggt gaggggaagg aaagagaaca gagcggcact gggatttgaa aggggaacct 1980
 ctctatctga ggagccccca ctggcttcag aagcaactta ccaaggggta tttaaagaca 2040
 45 tgaaaatttc cagaaatacc atttgggtgca tcccttgggt tctgtaatat taaactcagg 2100
 tgaaattata ctctgacagt ttctctcttt ctgectcttc cctctgcaga gtcaggacct 2160
 gcagaactgg ctgaaacaag atttcatggt gtcacccatg agagatgact caatggcaag 2220
 gcctgaagtt atagagtgtt tacagcgggtg gcgatattca ggggtcatcg ccaactgggtc 2280
 tcgagttcca aagctctgat gaagaaacca gactccttga tgtgttactg atcccactga 2340
 50 ttocaggagt caagattagc caggaaagca aacaccagga gttgggggtg cacgtcacca 2400
 gtccagagcc ctgccacgga tgtacgcagg agcccagcat taggcaatca ggagccagaa 2460
 catgatcacc agggccacaa ataggaagag gcgtgacagg aactgctcgt ccacatacct 2520
 ggggtgtcc

<210> 48
 <211> 1553
 <212> DNA
 <213> Human

<400> 48

60 tttttttttt tttttgattt ctgggacaat taagctttat ttttcatata tatatatatt 60
 ttcatatata tatatacata catatataaa ggaaacaatt tgcaaattta cacacctgac 120
 aaaaccatat atacacacat atgtatgcat acacacagac agacacacac acccgaagct 180
 65 ctagccaggc ccgtttttcca tccctaagta ccattctctc atttggggcc ttctagggtt 240
 ggggccctga gcttggtttg tagaagtttg gtgctaatat aaccatagct ttaatcccca 300
 tgaaggacag tgtagacctc atctttgtct gctccccgt gcctttcagt tttacgtgat 360

5 ccatcaagag ggctatggga gccaaagtga caccgggggat tgaggctaataac 420
 togaaaacag cgcocagctt cctcaccgca ggcacgcgtc ttttcttttt ttttcctcga 480
 gacggaggtct cgctgtgttg cccaggctgg agtgcagtgg caccgtctcg gctcactgca 540
 agctccacct cctggattca taccattctc ctgtctcagc cttccgagta gctgggacta 600
 taggtgccaa ccactacgcc tagctaattt tttttgtat ttttagtaga gacagggttt 660
 caccgtgtta gccaggatgg tctcgtcctg actttgtgat ccgcccgcct cggcctccca 720
 aagtgtctggg attacaggcg tgagccacca cacctggccc cggcacgtat cttttaagga 780
 atgacaccag ttcttggtt ctgaccaaag aaaaaatgtc acaggagact ttgaagaggc 840
 10 agacaggagg gtggtggcag caacactgca gctgcttctg gatgctgctg ggggtgctctc 900
 cggagcgggt gtgaacagcg cacttcaaca tgagcaggcg cctggctccg gtgtgtcctc 960
 acttcagtgg tgcacctgga tgggtgaagc cagcctttgg ggcaggaaac cagctcagag 1020
 aggtaccca gctcagctgc tggcaggagc cagggtattta cagccataat gtgtgtaaag 1080
 aaaaaacacg ttctgcaaga aactctccta ccgctcggg agactggggc tccttgcttg 1140
 ggatgagctt cactcaacgt ggagatggtg gtggactggt ccctgaaaag cgggccttgc 1200
 15 agggccaagt gaggtcctca ggtcctaac ccagtggccc tctgaaaggg ggtgtgcagg 1260
 cgaggggagc aggaggttc tctctagtcc ctttggaggc tttggctgag agaagagtga 1320
 gcagggagct gggaatgggt caggcaggga agggagctga agtgattcgg ggctaattgc 1380
 tcagatcgat gtatttctct ccctgggtct cgggagccct cttgtcaccg ctgctgcctt 1440
 gcaggaggcc catctcttct gggagcttat ctgacttaac ttcaactaca agttcgctct 1500
 20 tacgagaccg ggggtagcgt gatctcctgc ttccctgagc gcctgcacgg cag

<210> 49
 <211> 921
 <212> DNA
 <213> Human

<400> 49

30 ctgtgggtccc agctactcag gaggtcagg cgggaggatt gcttgagccc aggagttgga 60
 tgttgcaagt agccaagatc gcaccattgc cctccactct gggccacgga gcaataacct 120
 gtctcagaaa acaacaaca aaaagcagaa acgctgaagg ggtcggttta cgggaaaacc 180
 gctgtcaga acacttgggt actcctaccc cagatcagtg gacctgggaa tgagggttgg 240
 tcccgggagg cttttctcca agctgttgcc accagaccgg ccatgggaac cctggccaca 300
 35 gaagcctccc ggggagttag ccagagcctg gaccgctgtg ctgatgtgtc tggggtggag 360
 ggaggggtgg gagtgtgcaa ggggtgtgtg gtgcccgggg ggtgttcatt ggcaagcatg 420
 tgctgtcctg tgtgtgtcgt tgcccctccc ctgcagccgt cgggtggtatc tccctccagc 480
 cccttcgcca ccttctgagc attgtctgtc cacgtgagac tgcccagaga cagcagagct 540
 ccacgtgggt ttaaggggag acctttccct ggacctgggg gtctcgccgt atctcatgac 600
 40 caggtgctaa atgaccggac atgcatcacc tgcctttcga tgaccaacct ccctgtcccc 660
 gtcccgtcga cctgcccccg tggcgtctca cggatgagcc tgctcctgac attggtgttc 720
 actgtagcaa actacattct ggatgggaat ttcatgtac atgtgtggca tgtggaaaat 780
 ttcaataaaa atggacttga tttagaaagc caaaaagctg tgtggtcctt ccagcacgga 840
 tactttgacc tcttgacctac aacccttccc ttgggtccga ggctggtagc tttgttact 900
 45 tcagatgggt gggggcgggt g

<210> 50
 <211> 338
 <212> DNA
 <213> Human

<400> 50

55 atgatctatc tagatgccct accgtaaaaat caaaacacaa aaccctactg actcattccc 60
 tcccttccag atattacccc atttctctac ttccatttgt agccaaactt tccaaaaatt 120
 catgttctgt cttcatttcc tcatgttcaa ccacccctgt cttagctacc acccctcagt 180
 aacgacctag cctgggtaga aacaaatgtc agcatgatac cataactcaat gatccttcgt 240
 cactgttgtc attgtcatca ttccatggcc ttactttccc tctcagcgcc atttgctaca 300
 gtaagaaact ttctttcttg aattcttggg tctcttgg

<210> 51
 <211> 1191
 <212> DNA
 <213> Human

<400> 51

5 ctagcaagca ggtaaagcag cttgtacaa acacacacag accaacacat ccggggatgg 60
 ctgtgtgttg ctagagcaga ggctgattaa acactcagtg tgttggtct ctgtgccact 120
 cctggaaaaat aatgaattgg gtaaggaaaca gttaataaga aaatgtgcct tgctaactgt 180
 gcacattaca acaaagagct ggcagctcct gaaggaaaag ggcttgtgcc gctgccgttc 240
 aaacttgtca gtcaactcat gccagcagcc tcagcgtctg cctccccagc acaccccat 300
 tacatgtgtc tgtctggcct gatctgtgca tctgctcgga gacgctcctg acaagtcggg 360
 aatttctcta tttctccact ggtgcaaaga gcgattttct cctgtcttct cttctgtcac 420
 ccccgctcct ctcccccagg aggtccttg atttatggta gctttggact tgcttccccg 480
 tctgactgtc cttgacttct agaattggaag aagctgagct ggtgaaggga agactccagg 540
 10 ccacacaga taaaagaaaa atacaggaag aaatctcaca gaagcgtctg aaaatagagg 600
 aagacaaact aaagcaccag ctttgaaga aaaaggcctt gagggagaaa tggcttctag 660
 atggaatcag cagcggaaaa gaacaggaag agatgaagaa gcaaaatcaa caagaccagc 720
 accagatcca ggttctagaa caaagtatcc tcaggcttga gaaagagatc caagatcttg 780
 aaaaagctga actgcaaatc tcaacgaagg aagaggccat tttaaagaaa ctaaagtcaa 840
 15 ttgagcggac aacagaagac attataagat ctgtgaaagt tccctgacct tccaaagtcc tacatacctt 960
 aagagtcaat tgaggacatc tatgctaata tccctgacct tccaaagtcc tacatacctt 960
 ctaggtttaag gaaggagata aatgaagaaa aagaagatga tgaacaaaat aggaaagctt 1020
 tatatgccat ggaaattaaa gttgaaaaag acttgaagac tggagaaagt acagttctgt 1080
 cttccaatac ctctggccat cagatgactt taaaaggtag aggagtaaaa gtttaagatg 1140
 20 atgggcaaaa gtccagtgta ttcagtaaaag tgctaatac aagttggagg t

<210> 52
 <211> 1200
 <212> DNA
 <213> Human

<400> 52

30 aacagggact ctactctat caaccccagg ctggagtcgg gtgcgcccac cctggctccc 60
 tgcaacctcc gctcccagg ctcaagcaac tctcctgcct cagtcgctct agtagctggg 120
 actacaggca cacaccacca tgcccagcca atttttgcat tttttgtaga gacagggttt 180
 cgccttctgt ccaggccggc atcatatact ttaaatacatg cccagatgac ttaataacct 240
 aatacaatat atcaggttg tttaaaaata attgcttttt tattattttt gcatttttgc 300
 accaacctta atgctatgta aatagttgtt atactgttgc ttaacaacag tatgacaatt 360
 35 ttggcttttt cttgtatta ttttgtattt ttttttttta ttgtgtggtc tttttttttt 420
 ttctcagtg tttcaattcc tccttggttg aatccatgga tgcaaaaacc acagatatga 480
 agggctggct atatatgcat tgatgattgt cctattatat tagttataaa gtgtcattta 540
 atatgtagt aaagttatgg tacagtggaa agagtagttg aaaacataaa catttggacc 600
 40 tttcaagaaa ggtagcttgg tgaagttttt cacttcaaaa ctatgtccca gtcagggtc 660
 tgctactaat tagctataat ctttgcacaa attacatcac ctttgagtct cagttgcctc 720
 acctgtaaaa tgaaagaact ggatactctc taaggctcact tccagccctg tcattctata 780
 actctgttat gctgaggaag aaattcacat tgtgttaact gtatgagtca aactgaaaaat 840
 gattattaaa gtgggaaaaa gccaatgct tctcttagaa agctcaacta aatttgagaa 900
 gaataatctt ttcaattttt taagaattta aatattttta aggttttgac ctattttatt 960
 45 agagatgggg tctcactctg tcacccagac tggagtacag tggcacaatc atagctcact 1020
 gctgcctcaa attcatggc tcaagtgtc cctctgcctc tgccctcaga gtagctgcga 1080
 ctatgggcat gtgccaccac gcctggctaa catttgattt gacctattta tttattgtga 1140
 tttatatctt tttttttttt tctttttttt ttttttacia aatcagaaat acttattttg 1200

50 <210> 53
 <211> 989
 <212> DNA
 <213> Human

<400> 53

60 aagccaccac tcaaaacttc ctatacattt tcacagcaga gacaagtga cttttatttt 60
 tatgcctttt ttcctatgtg tttttcaagt ctttttcaaa acaaggcccc aggactctcc 120
 gattcaatta gtccttgggc tggctgactg tgcaggagtc caggagacct ctacaaatgc 180
 agagtgactc tttaccaaca taaaccctag atacatgcaa aaagcaggac ccttccctcca 240
 ggaatgtgcc atttcagatg cacagcacc atgcagaaaa gctggaattt tccttggaaac 300
 cgactgtgat agaggtgctt acatgaacat tgcactgtc tttctttttt tttgagacag 360
 gtttcgcttg tgcccaggct gagtgcattg cgtgatctca ctactgcaa ttccacctcc 420
 agtttcaagc attctcctgc tcagcctcct agtagctggg ttacaggcac tgccaccatg 480
 65 ccggctaatt ttgtattttt gttagagatgg atttctccat ttggctcagge ggtctcgaac 540
 cccaacctca gtgatctgcc acctcagcct cctaagtgtt ggattacagg atgagccacc 600

cgaccggcca ctactgtctt tctttgaccc ttccagtttc gaagataaag aggaaataat 660
 ttctctgaag tacttgataa aatttccaaa caaacacat gtccacttca ctgataaaaad 720
 atttacogca gtttggcacc taagagtatg acaacagcaa taaaaagtaa tttcaaagag 780
 ttaagatttc ttcagcaaaa tagatgattc acatcttcaa gtcctttttg aaatcagtta 840
 ttaatatatt tctttcctca tttccatctg aatgactgca gcaatagttt tttttttttt 900
 tttttttttt ttgcgagatg gaatctcgct ctgtcgccca gcgggagtgc actggcgcaa 960
 gcccggtcca ccgcaatctc tgccacccg

<210> 54

<211> 250

<212> DNA

<213> Human

<400> 54

catttcccca ttggtcctga tgttgaagat ttagttaaag aggctgtaag tcaggttcga 60
 gcagaggcta ctacaagaag tagggaatca agtccctcac atgggctatt aaaactaggt 120
 agtggtggag tagtgaaaaa gaaatctgag caacttcata acgtaactgc ctttcagggg 180
 aaaggccatt ctttaggaac tgcattctgt aaccacacc ttgatccaag agctagggaa 240
 acttcagttg

<210> 55

<211> 2270

<212> DNA

<213> Human

<400> 55

gcgccccga gcagcgcccg cgccctccgc gccttctccg ccgggacctc gagcgaaaga 60
 ggcccgcgcg ccgcccagcc ctgcctcccc tgcccaccgg gcacaccgcg ccgccacccc 120
 gaccccgcgt cgcaaggcct gtcogctgca caccagcttg ttggcgtctt cgtcgccgcg 180
 ctgcgcccg gctactcctg cgcgccacaa tgagctcccg catcgccagg gcgctgcct 240
 tagtgcctac ccttctccac ttgaccaggc tggcgctctc cacctgcccc gctgcctgcc 300
 actgccccct ggaggcgccc aagtgcgcgc cgggagtgcg gctggctccg gacggctgcg 360
 gctgctgtaa ggtctgcgcc aagcagctca acgaggactg cagcaaaacg cagccctgcg 420
 accacaccaa ggggctggaa tgcaacttcg gcgccaagtc caccgctctg aaggggatct 480
 gcagagctca gtcagagggc agaccctgtg aatataactc cagaatctac caaacgggg 540
 aaagtttcca gcccactgt aaacatcagt gcacatgtat tgatggcgcc gtgggctgca 600
 ttctctgtg tcccaagaa ctatctctcc ccaacttggg ctgtcccaac cctcgctgg 660
 tcaaagttac cgggcagtgc cgcgaggagt gggctctgtga cgaggatagt atcaaggacc 720
 ccatggagga ccaggacggc ctccctggca aggagctggg attcgatgcc tccgaggtgg 780
 agttgacgag aaacaatgaa ttgattgcag ttggaaaagg cagctcactg aagcggctcc 840
 ctgttttttg aatggagcct cgcattctat acaacccttt acaaggccag aaatgtattg 900
 ttcaaaacac ttcatggctc cagtgtctca agacctgtgg aactggatc tccacacgag 960
 ttaccaatga caacctgag tgccgccttg tgcgaagaa cgggatttgt gaggtgcggc 1020
 ctttgaggca gccagtgtac agcagcctga aaaagggcaa gaaatgcagc aagacgaaga 1080
 aatccccga accagtcagg tttacttacg ctggatgttt gagtgtgaag aaataccggc 1140
 ccaagtactg cggttcctgc gtggacggcc gatgctgcac gcccagctg accaggactg 1200
 tgaagatgcg gttccgctgc gaagatgggg agacattttc caagaacgtc atgatgatcc 1260
 agtccctgca atgcaactac aactgcccgc atgccaatga agcagcgttt ccttcttaca 1320
 ggctgttcaa tgacattcac aaatttaggg actaaatgct acctgggttt ccagggcaca 1380
 cctagacaaa caaggagaa gagtgtcaga atcagaatca tggagaaaat gggcggggg 1440
 ggtgtgggtg atgggactca ttgtagaaag gaagccttgc tcattcttga ggagcattaa 1500
 ggtatttcga aactgccaa ggtgctgggt cggatggaca ctaatgcagc cagcattgga 1560
 gaatactttg cttcatagta ttggagcaca tgttactgct tcatttttga gcttgtggag 1620
 ttgatgactt tctgttttct gtttgtaaat tatattgctaa gcataatttc tctaggcttt 1680
 tttccttttg gggttctaca gtcgtaaaag agataataag attagttgga cagttttaaag 1740
 cttttattcg tcccttgaca aaagtaaatg ggagggcatt ccatcccttc ctgaaggggg 1800
 aactccatg agtgtctgtg agaggcagct atctgcactc taaactgcaa acagaaatca 1860
 ggtgttttaa gactgaatgt tttatttatc aaaatgtagc ttttggggag ggaggggaaa 1920
 tgtaatactg gaataatttg taaatgattt taattttata ttcagtgaag agattttatt 1980
 tatggaatta accatttaaa aaagaaatat ttacctaata tctgagtgtg tgccattcgg 2040
 tattttttga ggtgttccaa agtcattagg aacaacctag ctacgtact caattattca 2100
 aacaggactt attgggatac agcagtgaat taagctatta aaataagata atgattgctt 2160
 ttataccttc agtagagaaa agtctttgca tataaagtaa tgtttaaaaa acatgtattg 2220
 aacacgacat tgtatgaagc acaataaaga ttctgaagct aaaaaaaaaa

<210> 56
 <211> 1636
 <212> DNA
 <213> Human

<400> 56

cttgaatgaa gctgacacca agaaccgcgg gaagagcttg ggcccaaagc aggaaagggg 60
 agcgctcgag ttggaaagga accgctgctg ctggccgaac tcaagcccg ggcgccccac 120
 cagtttgatt ggaagtccag ctgtgaaacc tggagcgctg ccttctcccc agatggctcc 180
 tggtttgctt ggtctcaagg acactgcac gtcaaaactga tccccctggc gttggaggag 240
 cagttcatcc cttaaagggtt tgaagccaaa agccgaagta gcaaaaatga gacgaaaggg 300
 cggggcagcc caaaagagaa gacgctggac tgtggtcaga ttgtctgggg gctggccttc 360
 agcccgctggc ctccccacc cagcaggaag ctctgggcac gccaccaccc ccaagtggcc 420
 gatgtctctt gcttgggtct tgctacggga ctcaacgat ggcatgcaa gatctgggag 480
 gtgcagacag ggctctgctt tttgaatctt tccggccacc aagatgtcgt gagagatctg 540
 agcttcacac ccagtggcag tttgattttg gtctccgctg cacgggataa gactcttcgc 600
 atctgggacc tgaataaaca cggtaaacag attcaagtgt tatcgggcca cctgcagtgg 660
 gtttactgct gttccatctc cccagactgc agcatgctgt gctctgcagc tggagagaag 720
 tcgggtctttc tatggagcat gaggtcctac acgttaattc ggaagctaga gggccatcaa 780
 agcagtgttg tctcttgtga ctctctcccc gactctgccc tgcttgcac ggcttcttac 840
 gataccaatg tgattatgtg ggaccctac accggcgaaa ggctgaggtc actccaccac 900
 acccaggttg accccgccat ggatgacagt gacgtccaca ttagctcact gagatctgtg 960
 tgcttctctc cagaaggctt gtaccttgcc acggtggcag atgacagact cctcaggatc 1020
 tggggccctgg aactgaaaac tcccattgca tttgtctcta tgaccaatgg gctttgctgc 1080
 acattttttc cacatggttg agtcattgccc acagggacaa gagatggcca cgtccagttc 1140
 tggacagctc ctagggtctt gtctctcactg aagcacttat gccgaaaagc ccttcgaagt 1200
 ttcctaacaa cttaccaagt cctagcactg ccaatcccca agaaaatgaa agagtctctc 1260
 acatacagga ctttttaagc aacaccacat cttgtgcttc tttgtagcag ggtaaatcgt 1320
 cctgtcaaag ggagttgctg gaataatggg ccaaacatct ggtcttgcat tgaaatagca 1380
 tttctttggg attgtgaata gaatgtagca aaaccagatt ccagtgtaca taaaagaatt 1440
 tttttgtctt taaatagata caaatgtcta tcaactttaa tcaagttgta acttatattg 1500
 aagacaattt gatacataat aaaaaattat gacaatgtcc tgggaaaaaa aaaatgtaga 1560
 aagatggtga agggtgggat ggatgaggag cgtggtgacg ggggcctgca gcgggttggg 1620
 gaccctgtgc tgcgtt

<210> 57
 <211> 460
 <212> DNA
 <213> Human

<400> 57

ccatgtgtgt atgagagaga gagagattgg gagggagagg gagctcacta gcgcatatgt 60
 gcctccaggg ggctgcagat gtgtctgagg gtgagcctgg tgaaagagaa gacaaagaa 120
 tggaatgagc taaagcagcc gcctgggggtg ggaggccgag cccattttgta tgcagcaggg 180
 ggcaggagcc cagcaaggga gcctccattc ccaggactct ggagggagct gagaccatcc 240
 atgcccgcag agccctccct cacactccat cctgtccagc cctaattgtg caggtgggga 300
 aactgaggct gggaagtac atagcaagtg actggcagag ctgggactgg aaccaacca 360
 gcctcctaga ccacggttct tcccatcaat ggaatgctag agactccagc caggtgggta 420
 ccgagctcga attcgtaatc atggtcatag ctgtttcctg

<210> 58
 <211> 1049
 <212> DNA
 <213> Human

<400> 58

atctgatcaa gaatacctgc cctggctcact ctggcgatgt ttctgtccac ttgttcacat 60
 tgaggacca gatatccttt ttacagagg cacttggtcg gtctaacaca gacacctcca 120
 tgacgacatg ctggctcaca ttttgagtt ctgcagaagt cccctcccca gcctggacta 180
 cagcagcact ttcccgtggg ggtgcagtag ccgtttogac agagcctgga gcactctgaa 240
 gtcagtgtct gtgcaggttg taccggtggt ctgcattcct caggcattaa aggtcttttg 300
 ggatctacaa tttttagtag ttttccattg tgagtctggg tcatactttt actgcttgat 360

5
 10
 15
 20
 25
 30

```

aaaatgtaaa cttcacctag ttcattcttct ccaaattccca agatgtgacc ggaaaagtag 420
cctctacagg acccactagt gccgacacag agtgggtttt cttgccactg ctttgtcaca 480
ggacttttgct ggagagtttag gaaattccca ttacgatctc caaacacgta gcttccatac 540
aatctttctg actggcagcc ccggtataca aatccaccaa ccaaaggacc attactgaat 600
ggcttgaatt ctaaaagtga tggctcactt tcataatctt tcccccttat tatctgtaga 660
attctggctg atgatctgtt ttttccattg gagtctgaac acagtatcgt taaattgatg 720
tttatatcag tgggatgtct atccacagca catctgcctg gatcgtggag cccatgagca 780
aacacttcgg ggggctgggt ggtgctgttg aagtgtgggt tgctccttgg tatggaataa 840
ggcacgttgc acatgtctgt gtccacatcc agccgtagca ctgagcctgt gaaatcactt 900
aaccatcca tttcttccat atcatccagt gtaatcatcc catcaccaag aatgatgtac 960
aaaaaccggt cagggccaaa gagcagttgc cctcccagat gctttctgtg gagttctgca 1020
acttcaagaa agactctggc tgttctcaa
  
```

<210> 59
 <211> 747
 <212> DNA
 <213> Human

<400> 59

```

tttttcaaat cacatatggc ttctttgacc ccatcaaata actttattca caaaaacgtc 60
ccttaattta caaagcctca gtcattcata cacattaggg gatccacagt gttcaaggaa 120
cttaaatata atgtatcata ccaacccaag taaaccaagt acaaaaaata ttcataataa 180
gttgttcaca cgtaggctct agattaccag cttctgtgca aaaaaaggaa atgaagaaaa 240
atagatttat taactagtat tggaaactaa ctttgtgcct ggcttaaaac ctccctcacg 300
ctcgtctgtc ccacacaaat gtttaagaag tcaactgcaat gtactccccg gctctgatga 360
aaagaagccc ctggcacaaa agattccagt gccctgaag aggctccctt cctcctgtgg 420
gctctcctag aaaaccagcg ggacggcctc cctgctgata ccgtctataa ccttaggggg 480
ccctcgggca ggcaacggca gtggactcat ctcggtgatg gctgtagatg ctaacactgg 540
ccaattcaat gccacaccta ctggttacc tttgagggca tttctccaga cagaagcccc 600
ttgaagccta ggtaggggcag gatcagagat acaccggtgt ttgtctcgaa gggctccaca 660
gccagtagc acatgcttgc agaagtagta tctctggact tctgcctcca gtcgaccggc 720
cgogaattta gtagtaatat cggccgc
  
```